Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



HAMMONASSETT GARDENS

MADISON - CONN.

1931



GROWERS OF

"Delightful Old-fashioned Flowers"

OR

HARDY PLANTS A MOST COMPLETE COLLECTION

FORMERLY

FRANK JOSIFKO'S
"OLD-FASHIONED FLOWERS"

FOREWORD

To ALL customers and friends of years past we wish to announce that FRANK JOSIFKO'S OLD FASH-IONED FLOWER GARDENS will be owned and operated by IRVING H. MERRIMAN under the name of HAMMONASSETT GARDENS. Although Mr. Josifko has relieved himself of most of the responsibility, he will remain with us holding an important part in the management.

The business name has been changed from OLD FASHIONED FLOWER GARDENS to HAMMONASSETT GARDENS for two reasons:

OLD FASHIONED FLOWER GARDENS was confusing with other businesses of similar name, with which there is no connection what-

"Hammonassett" is an Indian name long used for this section of Madison.

You will receive the same careful attention as before with prompt personal service based upon years of experi-

The HAMMONASETT GARDENS catalogue is presented with reasonable confidence in the quality of the stock which is offered. It also embraces a most complete and select assortment of the choicest varieties of plants suitable for distinctive and uncommonly beautiful perennial borders and charming rock gardens. These varieties, all of which are grown here at Madison, are selected with discrimination and care.

By living up to the selected with the

By living up to the high standard of quality which we have set, merits a continuance of the patronage which has been hithertofore enjoyed. We value, as our greatest asset, the patronage of the host of satisfied clients, who, year after year, entrust to us the commissions for their requirements in making their home "A place of beauty and joy forever."

This list cancels all previous offers.

IRVING H. MERRIMAN, Madison, Conn.

Read Before Ordering

PRICES quoted in this list are net, F.O.B., and subject to no discounts. Our prices are as low as the high quality of the stock warrants and are consistent with the prices of other reputable firms.

QUALITY must be considered in comparing prices.

ORDERS. To avoid disappointments we urge orders being placed early. All plants are offered subject to being unsold on receipt of order. Please give explicit shipping directions. Write your name and address dispersions.

TERMS. Cash with order. Any orders involving other terms must be accompanied by satisfactory references. Postage or Express charges must be paid by customer. All orders accompanied with cash in full will be packed without charge.

C.O.D. ORDERS must be accompanied by a remittance of part payment to guarantee charges. All such orders can only be shipped by express.

SMALL ORDERS. We do not solicit orders for less than \$1.00 and such orders will not be filled unless an allowance for packing be made. Packing charges are made at actual cost.

made at actual cost.

BUBSTITUTIONS. Unless specifically authorized to do so, no substitutions are made. We suggest, however, that we be instructed to use our judgment in such cases, as often, as the season advances, we may be sold out on some varieties, but we may still have equally choice items available which will prove as good as—and often superior to—the varieties ordered and which cannot be supplied.

K. Shipments travel at purchaser's risk. Our responsibility ceases upon delivery to the transportation company and when we have their receipt for shipment.

ERRORS. Keep an exact copy of your order. We endeavor to fill all orders correctly. When we are at fault we will make satisfactory adjustment.

NON-WARRANTY. We grow and ship only the best and healthlest plants, but we cannot give any warranty as to description or trueness to name, as conditions, climatic and soil, exist over which we have no control.

SELECTION. Plants are arranged with botanical names in alphabetical order for your selection. Special Offers on inside back cover. Annuals and Bedding plants on page 31.

PRICES

25 cents each for good strong plants; \$2.50 per doz. of one variety, except where otherwise noted. Extra heavy clumps at correspondingly higher prices. Six of a variety at the dozen rate. Selected varieties, one of each, at the single rate.

Varieties preceded by an asterisk (*) are suitable for use in Rock Gardens.

Varieties preceded by (x) are sold out for this season.

CULTURAL HINTS

Every perennial border should be planted according to some prearranged scheme and with a definite object in view, keeping in mind height and color of each plant. Some background is advisable to produce a better effect.

Preparing the ground is essential before planting. The ground should be spaded at least 12-15 inches deep with well rotted manure mixed thoroughly with the soil. Some slaked lime mixed in will purify the soil and aid greatly in growth of the plants.

Planting should be done more in groups to produce a better effect. Keep the taller growing plants in back and the lower in front. Distances apart depend upon the variety of plants. 12-18 inches is advisable.

In considering the color, careful thought must be given to the contrasts and harmonious blending, to prevent later rearranging.

After the planting is done, thorough watering is essential as well as cultivating and keeping clean. Some light covering of dry litter such as grass clippings or peat moss will aid for thrifty growing and will save moisture, as well as protect the plant from extremity through the summer.

After the season is over a light protection from the winter is necessary such as a covering with leaves, salt hay or similar light materials. This covering should not be left on, later than the end of March. The decayed parts from this covering may be turned under with a fork to be used as a fertilizer.

1



ACONITUM

ACHILLEA. Well drained soil in sun.
ageratum (Sweet Yarrow), Yellow. 15 in. June.
filipendula (Fernleaf Yarrow). Yellow. 3 ft. July.
macedonica. Yellow. 3 ft. June-July.
Millefolium roseum (Pink Yarrow). Pink. 18 in. JulySept.

Parker's Variety. Taller; yellow. 2½ ft. June-Sept.
Ptarmica, Boule de Neige. Compact. 15 in. June-Sept.
Ptarmica, Perry's White. Large; white. 18 in. June-July.
*tomentosa (Woolly Yarrow). Bright yellow. 8 in. June.

ACONITUM. Ordinary soil in sun or semi-shade.
autumnale (Autumn Monkshood). Deep blue. 30 cts.
each, \$3 per doz. Sept. 2 ft.

Fischeri Wilsoni (Violet Monkshood). Large; violetblue. 75c each. 5 ft. Sept.-Oct. x lycoctonum (Wolfsbane). Yellow. 2½ ft. June. 50 cts.

wapellus (Aconite). Dark blue. 35 cts. each, \$3.50 per doz. 3 ft. June.

Mapellus alba (White Aconite). Light blue. 50 cts. each.

3 ft. June. x Napellus bicolor. Blue and white. \$1 each. June-July. 2 ft.

x Pyrenaicum. Clear yellow, 21/2 ft. June.

ACORUS. Moist soil, sun or semi-shade.

Calamus (Sweet Flag). Aromatic rootstock. July. 2 ft.
 Calamus variegatus (Striped Sweet Flag). Variegated. July. 2 ft.

ADENOPHORA. Ordinary soil in sun. x Potanini (Bush Ladybell). Pale blue. 1½ ft. July.

ADONIS. Ordinary soil in sun or light shade. *amurensis (Adonis). Large: yellow. \$1.00 each. season.

*amurensis flore-pleno. Double: yellow. \$1.00 each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

ETHIONEMA. Well drained soil in sun. x*grandifiorum (Persian Stone Cress). Ro gray foliage. 12 in. Sold out for season. AETHIONEMA. Rose. Silver-

AETHIOPAPPUS. Ordinary soil in sun. **Pulcherrimus.** Pinkish white flowers. 11/4 ft. June-Sept. 60c ea.

AGAPANTHUS. Ordinary soil in sun, umbellatus (African Lily). Blue. 3 ft. July-Aug. \$1 umbellatus (African Lily) each. (Not quite hardy.)

AJUGA. Ordinary soil sun.

*genevensis (Bugle). Blue. 6 in. May-June.

*reptans variegata (Yellow Variegated Bugle). (Yel-Foliage variegated yellow. 6 in. May-June. vel-

*versicolor (White Variegated Bugle). Showy. 6 in. May-June. 40 cts. each.

ALLIUM. Ordinary soil in sun.

Light blue, 12 *cyaneum. in. May-June. 40c ea.

*flavum (Yellow Chive).
Yellow. 12 in. June.

35 cts.


Rose pink une, 18 in, stellatum. June. flowers. in. 40c.

ALTHAEA. **PHAEA.** (Hollyhocks.) Ordinary soil; sun.

Rosea Double. In many delightful colors.

Rosea Single. In lovely assortment.

20 cts. each, \$2 per doz.; extra strong, 30 cts. per doz. \$3.00.



AUBRIETIA

ALYSSUM. Well drained soil in sun.

x*argenteum (Silver). Yellow. 12 in. June-July. (Sold out for season.)

*rostratum (Yellowhead Alyssum). Golden yellow.

in. June-July. citrinum. Light yellow. 10 in. May-June. 30 cts. ea. *saxatile compactum (Golden Tuft). Yellow; fragrant. 10 in. April-May.

*Wulfenianum. Sulphur-yellow. 40 cts. each. June.

Ordinary soil in sun

AMPELOPSIS. Ordinar elegans. A vine with pretty variegated 50c each. foliage.

AMSONIA. Ordinary soil in sun or light shade.
Tabernaemontana (salicifolia). (Willow Amsonia.) Steelblue. 21/2 ft. May-June. 30 cts. each.

ANCHUSA. Well drained, rich soil in sun.

Barrelieri (Early Bugloss). Dark blue; white eye. ft. May.

italica. Dropmore. (Italian Bugloss). Sky-blue, 6 ft. myosotidiflora
12 in. 50 cts. each.

NEMONE. Rich soil in light shade.
*hupehensis (Windflower). Pale mauve.
Oct. 35 cts. each, \$3.50 per doz.
'anonica alba. Single; white. Sept.-Oct.
Toubert. Largest white. 2-3 ft. Blue. April-May.

ANEMONE. mauve. 12 in. Aug.-

Oct. 35 cm., Single; white.

Honorine Joubert. Largest when the White; double. 2-3 ft. Sept.-Oct Sept.-Oct. each

Sept.-Oct. Prince Heinrich. Heinrich. Double; crimson. 2-Charlotte. Semi-double; rare 2-3 ft. pink. -Queen Sept.-Oct.



CAMPANULA MOERHEIMI (See page 7)

ANEMONE (Cont'd)

- —rubra. Rosy red. 2½ ft. Sept.-Oct.
 —Whirlwind. White. 2-3 ft. Sept.-Oct.
- *Pennsylvanica. Fine white. 12 in. May-June. 25c ea. *pulsatilla (European Pasqueflower). Violet. 12 April-May. 35 cts. each. pulsatilla alba. White. 10 in. April-May. 75c ea. 12 in.
- *rubra (Red Pasqueflower). 12 in. April-May. 30 cts. each.
- x vitifolia tomentosa. Pinkish rose. 40 cts. each. (Sold out for season.)

All Anemones 30 cts. each, \$3 per doz., except where otherwise noted.

ANTHEMIS. Ordinary soil in sun or light shade.

tinctoria Kelwayi (Kelway Chamomile). Golden yellow. June-Oct. 2-3 ft.

ANTHERICUM liliastrum (S White. 2 ft. 30 cts. each. (St. Bruno's Lily). June.

Well drained soil in sun. AQUILEGIA.

*Alpina (Alpine Columbine). Chaste blue. 18 in. June. 30c ea.

*caerulea (Colorado Columbine). Blue and white; long-spurred. 2 ft. May-June. 35 cts. each.
chrysantha (Golden Columbine). Yellow; long-spurred.

ft. June-July.

2 1/2 ft. hylodgensis. Long-spurred mixed colors. June. vulgaris (European Columbine). violet-blue. 2-3 ft. May-June. Single and double;

vulgaris nivea (White European Columbine). Low; white. 2½ ft. May-June.

ARABIS. Well drained soil in sun.

*alpina (Alpine Rock Cress). White. 5 in. April-May. *alpina flore-pleno (Double Alpine Rock Cress). Double. 6 in. May. 40 cts. each.

May. 35 cts. each. *alpina rosea. Light pink. 6 in.

HARDY PERENNIALS—ROCK PLANTS

RCTOSTAPHYLOS. Sandy acid soil in semi-shade.
*Uva-ursi (Bearberry). Trailing evergreen. Flo white, followed by large red berry. 50 cts. each. ARCTOSTAPHYLOS. Flowers

ARENARIA.

Well drained soil in sun. (Mountain Sandwort). 4 in. *montana May. 30 cts. each.

*verna (Tufted Sandwort). White. 1-2 in. May-Aug.

30 cts. each.

ARRHENANTHERUM. Ordinary soil in sun.
*bulbosum variegatum (Variegated Oatgrass). Green
and white leaves. 12 in.

ARTEMISIA. Ordinary soil in sun.

(Southernwood). Aromatic odor. ťt. abrotanum 30 cts. each.

Absinthium (Common Wormwood). Medicinal qualities.

Dracunculus (Tarragon). True. Many culinary uses. 3 ft. 35 cts. each.

lactiflora (White Mugwort). Creamy white; fragrant. 4-5 ft.

*Stelleriana (Beach Wormwood). Silvery cut foliage. 12 in.

ASCLEPIAS. Ordinary soil in sun. tuberosa (Butterfly Weed). Orange. Showy. 2 ft. July-Aug. 35 cts. each.

ASPERULA.

SPERULA. Ordinary soil in light shade.
hexaphylla (Misty Woodruff). Used for bouquets instead of Baby's Breath. Scented. 2½ ft. June-July. *odorata (Sweet Woodruff). Fragrant leaves. White, 10 ins. July.

ASTER (Michaelmas Daisy). Rich soil in sun.
Amellus (Italian Aster). Early; pink-lavender.
Aug.-Sept. 30 cts. each.
—King George. New. Large; bluish violet. 2 ft.
Sept. 50 cts. each, \$5 per doz. 2 ft.

Pink. 2 ft. Aug.-Sept. 30 cts. each.

Feltham. Lavender-blue. 4 ft. October.

Enfante de Vetry. Sept. 35 ets. each. Semi-double; lilac-mauve. 21/2 ft.

japonica alba plena. Double; white. Sept.-Oct.

-Mauve Cushion. Mauve. 9 in. Oct.-Nov.

—Lutetia. Beautiful yellow-lavender. 2-3 ft. Se novae-angliae, Beauty of Castille. Dark purple. Sept.-Oct. Sept.-Oct.

—Mrs. S. T. Wright. Rosy purple. 4 ft. Sept.-Oct. novi-belgi, Climax. Lavender blue. 3 ft. Aug.-Oct.

-Grace Sweet. Dark lavender blue. 4 ft. Sept.

-Thelma Perry. Pink. 4 ft. Aug.-Sept. -White Climax. White. 3 ft. Aug.-Oct. atarious. Bluish violet. 5-6 ft. Oct. tataricus.

ASTILBE. Moist ground in sun or semi-shade.
Arendsi, Ceres. Light rose, silvery sheen. 2½ ft. July-Aug. 50 cts. each, \$5 per doz.

Moerheimi. Creamy white. Late. 4 ft. Aug.-Sept. 60 cts. each, \$6 per doz. -Moerheimi.

-Princess Juliana. Soft pink. 2 ft. July. 50 cts. each.

Oueen Alexandra. Deepest pinkish red. 2 ft. July-Aug. 50 cts. each, \$5 per doz.

Salland. Distinct red. Late. 4 ft. Aug.-Sept. 60 cts. each, \$6 per doz.

-W. E. Gladstone. Lacts. each, \$5 per doz. Large; white. 2-2½ ft. July.

ASTRANTIA corniolica rosea. Light pink. 2 ft. Summer. 35 cts. each.

UBRIETIA. Ordinary soil in light shade.
*deltoidea graeca. Purplish blue. 6 in. April-May. 30 cts. each, \$3 per doz. AUBRIETIA.

*Mixed Hybrids. Mixture of large-flowering varieties. 6 in. April-May. 30 cts. each, \$3 per doz.

HAMMONASSETT GARDENS, MADISON, CONN.

- BAPTISIA. Ordinary soil in sun. australis (False Indigo). Dark blue. 3-4 ft. May-July.
- **BELAMCANDA.** Ordinary soil in sun. chinensis (**Pardanthus chinensis**). (Blackberry Lily.) Orange. 3 ft. July-Aug.
- BELLIS. Ordinary soil in sun or light shade.
 *perennis (English Daisy). Double; white and pink.
 5 in. May-June. 10 cts. each, \$1 per doz.
- BOCCONIA. Ordinary soil in sun or light shade. cordata (japonica). (Pink Plume Poppy.) Pinkish white. 6-8 ft. July-Aug.
- BOLTONIA. Ordinary soil in sun. asteroides (White Boltonia). White. 4½-5 ft. Aug.-Sept. latisquama (Violet Boltonia). Pink, tinged lavender. 4-5 ft. Aug.-Sept.
- BUDDLEIA. Well drained soil in sun.
 Davidi magnifica (Butterfly Bush). Lilac-mauve. A
 superb shrub. 50 cts. and \$1 each.
- BUPHTHALMIUM. Ordinary soil in sun. salicifolium (Willowleaf Ox-eye). Yellow, 1½ ft. June-July.
 - speciosum (cordifolium). (Heartleaf Ox-eye). Large;
 yellow. 3-4 ft. June-July.
- CALAMINTHA. Ordinary soil in sun. *satureia aipina. Rose. 6 m. June.
- **CALIMERIS.** Ordinary soil in sun. incisa. Light purple, yellow stamens. 2 ft. July-Aug.
- CALLIRHOE. Well drained soil in sun.
 *involucrata (Low Poppy Mallow). Crimson; white center. 12 in. June-Sept.
- CALLUNA. Peaty soil in semi-shade. *vulgaris nana (Moss Heather). 6 in. July. 75 cts. each.
- CALYSTEGIA pubescens (California Rose). Pink; double. 35 cts. each; \$4.00 dozen.
- CAMASSIA. Ordinary soil in sun or semi-shade. esculenta (quamash). Light blue. 2½ ft. May-June. 30 cts. each.
 - leichtlini (Camas). Yellow, star-like flowers; early. 3-4
 ft. May-June. 40 ets. each.
 - leichtlini alba. Creamy white, star-like flowers. 3 ft. May-June. 60 cts. each.



CAMPANULA CARPATICA

HARDY PERENNIALS-ROCK PLANTS



CYCLAMEN HEDERAEFOLIUM (Page 10)

CAMPANULA. Well drained soil in sun.
alliariaefolia (Spurred Bellflower). White. 2 ft. July.
30 cts. each, \$3 per doz.
*carpatica (Carpathian Bellflower). Light blue. 6 in.

July-Aug.

July-Aug.
**carpatica alba. White. 6 in. July-Aug.
glomerata. Purple. 1½ ft. June-July.
glomerata superba (Showy Cluster Bellflower).
of deepest blue. 1½ ft. June-July. 30 cts
x lactiflora (Milky Bellflower). Bluish white. Clusters cts. each. e. Sold out for season. latifolia macrantha (Royal Bellflower). Purple. 3 ft. June-July.

Medium (Canterbury Bells). Blue, Rose, and White. 2 ft. June.

Medium calycanthema (Cup-and-Saucer Bell Blue, Lilac, Rose, and White. 2 ft. June. Bellflower). In

persicifolia (Peachleaf Bellflower). Blue. 2 ft. June-

persicifolia fl. plena. Double peach-leaved campanula. Blue. 2 ft. June-July. 40 cts. each. persicifolia alba. White. 2 ft. June-July. persicifolia Moerheimi. White; double. 60 cts. each.

June-July.

2 It. June-July.

*Portenschlagiana (Dalmatian Bellflower). Dark blue.
5 in. May-June. 50 cts. each.

punctata (nobilis). (Spotted Bellflower). Spotted purplish rose; distinct. 30 cts. each. 2 ft. June-July.

pyramidalis (Chimney Bellflower). Blue and white. 4-5

ft. Aug.-Sept. *rotundifolia (Harebell). Blue. 1 ft. trachelium (Coventry Bells). 2-3 ft. June-Aug. June-July

VNAS. We offer only the best varieties and the most desirable colors. Prices according to the variety. CANNAS.

CAREX. AREX. Ordinary soil in semi-shade. *Morrowi foliis variegatis. Yellow variegated foliage.

CARYOPTERIS. Ordinary soil soil in sun. (Bluebeard). cana (mastacanthus). (Bluebo 3-4 ft. Sept.-Oct. 50 cts. each. incana Lavender-blue.

ASSIA. Ordinary soil in sun. Marilandica (Wild Senna). Yellow and bronze. 4 to 6 ft. CASSIA. June-Sept.

HAMMONASSETT GARDENS, MADISON, CONN.

CATANANCHE. Ordinary soil in sun. caerulea (Blue Cupid's Dart). 2 ft. June-Aug. caerulea bicolor. White and blue. 2 ft. June-2 ft. June-Aug.

CEDRONELLA. Ordinary soil in sun.
x cana (Hoary Cedronella). Crimson. 2½ ft. July-Oct.
(Sold out for season.)

CENTAUREA. Ordinary soil in sun.

Clementei (Spanish Centaurea). Plant densely white and woolly. 3 ft.

dealbata (Persian Centaurea). Rose. 11/2 ft. July-Aug. macrocephala (Globe Centaurea). Yellow. 3 ft. July-Aug.

montana (Mountain Bluet). Violet-blue. 2 ft. June-Sept.

montana alba. White. 2 ft. June-Sept.

montana rosea (Rose Centaurea). Rose. 11/2 ft. June-

x ruthenica (Ruthenian Centaurea). Sulphur-yellow. 3 ft. July. 35 cts. each.

CENTRANTHUS. Ordinary soil in sun.

ruber (Jupiter's Beard). Crimson. 3 ft. ruber albus. White. 3 ft. June-July. June-July.

CEPHALARIA. Ordinary soil in sun.

alpina. Delicate sulphur-yellow. 5 ft. June-July. tatarica. Yellow. 5-6 ft. June-July.

CERASTIUM. Ordinary soil in sun.

*Biebersteini (Taurus Cerastium). White, 6 in. May-June.

*tomentosum (Snow-in-Summer). White. 6 in. May-June.

CERATOSTIGMA. RATOSTIGMA. Ordinary soil in sun. plumbaginoides (Larpeute Plumbago).

Deep blue, 6-8 Aug.-Sept.

CHIERANTHUS. Well drained soil in sun.
*allioni (Wallflower). Orange shade. 1 ft.

June-July.

CHELONE. Ordinary soil in sun. **glabra** (Turtlehead). Reddish flowers. 2-3 ft. A112.-Sept.

glabra alba. W Lyoni Hybrids. White. Thite. 2-3 ft. Aug.-Sept. Many shades, 2-3 ft. Aug.-Sept.

CHIVES (Herb). Used in the kitchen.

CHRYSANTHEMUM. Rich soil in sun.

 $\mbox{arcticum}$ (Arctic Chrysanthemum). Late fall; white, 1-1 $\frac{1}{2}$ ft. Sept.-Oct.

arcticum roseum (Pink Arctic Chrysanthemum). Pink. 1-11/2 ft. Sept.-Oct.

balsamita (Tanacetum balsamita). (Costmary). grant leaves. 2-3 ft.

coccineum roseum (Pyrethrum roseum). (Painted Lady). Showy blooms. 2½ ft. May-June.

maximum, Alaska. Called Shasta Daisy. White. 2 ft. July-Sept.

nipponicum (Nippon Ox-eye Daisy). Single. White. Single.

(Pyrethrum uliginosum). (Giant Daisy). uliginosum White daisy with yellow center. 4-5 ft. Aug.-Sept.


indicum (japonicum). (Mother Chrysanthemum). Only the best hardy varieties, distinctive in color, grown:

Alice Howell. Orange. 3 ft. Oct.

Brown Bessie. Pompon. Bronze-red. 2 ft. Oct.

Davenport. Pink. 3 ft. Oct.-Nov.

Harvest Moon. Yellow. 1 ft. Oct. 15th.



DORONICUM (See Page 11)

CHRYSANTHEMUM (Cont'd.)

Idolf. Salmon-pink. 2 ft. Sept.-Oct.
Lillian Doty. Pompon. Shell-pink; early.
Maduse. Terra-cotta. 2½-3 ft. Oct. 3 ft. Oct.

Maid of Kent. Pompon. ish. 2½-3 ft. Oct.

Mme. Auguste Nonin. D White, later becoming pink-

Delicate pink. 2½-3 ft.

Mrs. H. Harrison. Pompon. Pink. 3 ft. Oct.

Normandie. Delicate pink. 1½ ft. Sept.

October Gold. Orange-yellow. 2 ft. Oct.

Ruth Cummings. Reddish bronze. 2½ ft. Sept.-Oct. Skibo. Pompon. Old-gold-yellow. 1-2 ft. Oct.

Tints of Gold. Yellow. 1-2 ft. Sept.

2 1/2 - 3 ft. Oct. Yellow Normandie.

Acid soil in shade, CIMICIFUGA.

foetida simplex (Bugbane). Late-blooming; white spikes. 2-3 feet. July. 50 cts. each, \$5 per doz.

racemosa (Cohosh Bugbane). Creamy white. 4-6 ft.

July-Sept. 35 cts. each.

CLEMATIS. Ordinary soil in sun.

heracleaefolia Davidiana (Tube Clematis). Lavenderblue. 3 ft. Aug.-Sept. 50 cts. each.

integrifolia. Showy blue, 2 ft. July. 50 cts. each. Yellow. Climbing vine.

x orientalis (Oriental Clematis). Yello 50 cts. each. Sold out for season. White, fragrant

paniculata (Sweet Autumn Clematis). White, fraflowers. A climbing vine. 50 cts. and \$1 each.
recta. White. 4 to 6 ft. July-Sept. 50 cts. each.
viticella (Italian Clematis). White. 60 cts. each.

CODONOPSIS. Well drained soil in sun.

*(Glossocomia) clematidaca. Light blue. 1 ft. 50 cts.

CONVALLARIA. Moist soil in light shade.

*majalis (Lily-of-the-Valley). blooms. 9 inches. May-June. White, wax-like-drooping

HAMMONASSETT GARDENS, MADISON, CONN.

COREOPSIS. Ordinary soil in sun.
lanceolata (Tickseed). Golden yellow. 2 ft.
lanceolata flore-pleno. Semi-double. 2 ft. June-Oct. June-Oct. each.

verticillata (Threadleaf Coreopsis). Small, yellow flowers. July-Aug

coronilla. Ordinary soil in sun. varia (Crown Vetch). Bright pink. 1-2 ft. June-Oct.

CYCLAMEN.

YCLAMEN. Leafmold soil in shade. x*europeum (European Cyclamen). Purplish red. 6 in. Sept.-Oct. Sold out for season. *Neapolitanum (hederaefolium). Red. 6 in. Sept.-Oct. 75 cts. each.

CYNANCHUM.

TNANCHUM. Ordinary soil in sun.

acuminatifolium (Mosquito Trap). White. 15 ins. June.

Good roots 25 cts. up, according to the variety.

PHNE. Moderately rich soil in light shade. Deorum (Garland Flower). Sweet-scented; bright pink flowers in May, scattering bloom all summer. A splen-did rock garden shrub. \$1, \$2, and \$3 each and up. DAPHNE. *Cneorum

DELPHINIUM.

Hybrids. Choicest single and double.
Sept. 50 cts. and \$1 each.
m. Belladonna. Sky-blue. 3 ft. June-Charles Dwarf; blu English June-Sept. 3 ft. June-Oct.

formosum, Belladonna. Sky-blue. grandiflorum (Siberian Larkspur). Dwarf; blue. June-Oct.

grandiforum album. White. 2 ft. June-Oct. x Moerheimi. Best white. Sold out for season. Wrexham Hybrids. A superb variety in many choice shades. Each, \$1.00; Doz. \$10.00.

ESMODIUM. Well drained soil in sun. **penduliflorum** (Pea Shrub; Tick Clover). Rose-purple.

Aug.-Oct. 50 cts. and \$1 each. DESMODIUM.

DIANTHUS. Moderately rich soil in sun.
*Alwoodi, Harold (Pink Carnation). White; double. 12 in. May-Sept. 35 cts. each.
*—Jean. White, with crimson centers. 12 in. May-Sept.

Jean. Whin 35 cts. each. 35

12 in. maroon center; double.

Rose, maroon center; single. Single and double flowers

35 cts. each.

*—Mary. Pink, maroon cer
Sept. 35 cts. each.

*—Robert. Rose, maroon cer
Sept. 35 cts. each.

*barbatus (Sweet William).

in most beautiful shades.
each, \$2 per doz.

*cassins (Cheddar Pink). V. 20 cts. 18 in. June-July. each, \$2 per doz.

*caesius (Cheddar Pink). Very low-growing; pink.
May-July. 35 cts. ea.

*carthusianorum (Carthusian Pink). Red. 15 iu. 5 in.

June-July. Creeping.

-**Brilliant.** July. Each, 30c. hybridum, Wienna. Perfectly hardy Carnation. 1 1/2 ft.

July. Brilliant color combination;

hybrand, July.

x Napoleon III. Double; dark comes 50 cts. each. Sold out.
plumarius (Grass Pink). Brilliant color combinat fragrant. 1 ft. May-June.
plumarius, Rose de May. Double; pink. 1 ft. M. June. 35 cts. each.

white Reserve. White; double. 1½ ft. June-July.

ICENTRA. Ordinary soil in sun or light shade. *eximia (Fringed Bleeding-Heart). Rose. 1 DICENTRA 1 ft. A11 summer

*spectabilis (Bleeding-Heart). Heart-shaped pink flowers. 1-2 ft. May-July. \$1 each.

ICTAMNUS. Ordinary soil in sun.
Fraxinella (Gas Plant). Rose-pink. 2-3 ft.
50 cts. and \$1 each.
fraxinella alba. White. 3 ft. June-July. DICTAMNUS. June-July. 50 cts. and \$1 each.

DIGITALIS. Moderately rich soil in sun. ambigua (Yellow Foxglove). Pale yellow. 2-3 ft. July. purpurea, Mixed. White, Rose, Lilac, and Purple. 2 - 3

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

ft. June-July



ERYNGIUM BOURGATI (Page 12)

DORONICUM. Ordinary soil in sun.
 caucasicum (Caucasian Leopard's Bane).
 2 ft. May-June.
 30 cts. each.
 magnificum (Sunflower Leopard Bane).
 3 ft. May-June.

cts. each. plantagineum excelsum. Brightest yellow. 2 ft. April-

DRABA.

plantagnica.

May. 30 cts. each.

RABA. Well drained soil in sun.

**athoa. Yellow; low. Sold out for season.

**verna (Whitlow Grass). Arabis-like white flowers.
in. April-May.

Rich soil in sun.

ECHINACEA.

(Hedge-hog Coneflower). Reddish purple. 3-4

ECHINOPS.

purpurea (Hedge-nog Conenower). Reddish purple. 3-4 ft. July-Aug.

CHINOPS. Ordinary soil in sun.

humilis (Globe Thistle). Low; light blue. 3 ft. July-Aug. tro (Steel Globe Thistle). Ritro Metallic blue. 3-4 ft. July-

Aug.

ELSHOLTZIA.

sphaerocephalus (Common Globe Thistle). Purplish white, 4-5 ft, July-Aug.

LSHOLTZIA, Ordinary soil in sun.

Stauntoni. Lilac-rose flowers. Foliage has a delightful aromatic fragrance, 50 cts, each. Large size, each \$1.00.

ELYMUS. Ordinary soil in sun.
canadensis glaucifolius (Wild Rye). Narrow, glaucous
foliage. 3 ft. 35 cts. each.
EPIMEDIUM. Woodland soil in shade.
*macranthum niveum (Barrenwort). White, 9 in. May-June. 35 cts. each.

#macranthum roseum. Red. 9 in. May-June. 30c ea.

*sulphureum. Pale yellow. 9 in. April-June. 35 cts. ea.

RIANTHUS. Well drained soil in sun.

*sulphureum.

ERIANTHUS. Well drained son in
Ravennae (Ravenna Grass). Resembles the
Grass, 5-7 ft. 50 cts. each.

ERIGERON. Ordinary soil in sun.

**Plants (Fleabane). Purple-blue. 9 in. June-July. 30 glaucus. Rosy purple. speciosus. Purple. Very handsome.

2 ft. June-July. grandiflorus (Oregon Fleabane). Dark lilac. speciosus June-July. 2½ ft.



GENTIANA ACAULIS

RODIUM. Well drained soil in sun. *Manescavi (Heron's Bill). Purplish red. 12 in. ERODIUM. 30 cts. each.

ERYNGIUM. Ordinary soil in sun or semi-shade amethystinum (Amethyst Eryngo). Amethyst 3-4 ft. June-Sept. Amethystine blue.

*Bourgati. Distinct dwarf blue. 15 in. June-Aug. 40 cts, each.

x*maritimum. Glaucous blue foliage. Pale blue blooms. 3 ft. July-Aug. Sold out. Oliverianum. Blue. 2 ft. July-Aug. 50 cts. each. planum. Blue. 2 ft. July-Sept.

**pulchellum (Blister Cress). Bright yellow. 4-6 in.

*Tupestre (Asiatic Blister Cress).
May-June. 30 ets. each. Deep orange. 8 in.

Ordinary soil in sun or light shade. Vinter Creeper). Vine. Dull green leaves. EUONYMUS. radicans (Winter Creeper). 35 cts. each.

radicans argenteo-variegata. Variegated fand \$1 each.
radicans kewensis (Baby Wintercreeper).
radicans vegetus. Glossy foliage. 50 cts Variegated foliage. 50 cts.


50 cts. each. 50 cts. each.

EUPATORIUM. Ordinary soil in sun.
coelestinum (Mist Flower). Light blue. Good for cutting. 2 ft. Aug.-Oct.
urticaefolium (ageratoides). (Snow Thoroughwort).
White. 4 ft. July-Aug.

UPHORBIA. Ordinary soil in sun.
corollata (Flowering Spurge). Not unlike gypsophila;
small white flowers with green eye. 2-3 ft. July.
epithymoides (polychroma). (Cushion Spurge). Chromeyellow. 2 ft. April-May. 50 cts. each. EUPHORBIA.

FESTUCA. Ordinary soil in sun.
*glauca (Fescue Grass). Glaucous green. 9-12 in.
FILIPENDULA. Ordinary soil in sun.
hexapetala flore-pleno (Double Dropwort). White. 1½
ft. May-June. palmata (Siberian Meadowsweet). Pink. 2 ft. June-

July. bra venusta (Carmine Meadowsweet). rubra 4 ft.



EUPHORBIA

- ALEGA. Ordinary soil in sun. officinalis (Goat's Rue). White. 3-4 ft. July. officinalis Hartlandi. Pale blue. 3-4 ft. July. GALEGA.
- GALTONIA. Ordinary soil in sun.
 candicans (Summer Hyacinth). Bell-shaped whin flowers.
 3 ft. Aug.-Sept. 20 cts. each, \$2 per doz.
- **GAULTHERIA.** Acid soil in shade.

 *procumbens (Wintergreen). Evergreen. White flowers, followed by red berries. 3-6 in. May-June. 35 cts. each.
- GAURA. **AURA.** Ordinary soil in sun. **Lindheimeri.** White, butterfly-like flowers, 3 ft. June to fall.
- **GENTIANA.** Gritty peaty soil in sun or light shade.

 *acaulis (Stemless Gentian). Blue. \$1 each.

 Andrewsi (Closed Gentian). Deep blue. 30 cts, each.

 1-2 ft. Aug.-Sept.

 *cruciata (Cross Gentian). Dark blue. \$1 each.

 *Preymiana (Freyman's Gentian). Dark blue. \$1 each.

 *Przewalski. Brilliant blue. 50 cts. each. July. 6 in.

 *septemfida cordifolia. Blue. \$1 each.

 *tibetica. White. Sold out for season.

 *Walujewi (Walujew's Gentian). White, dotted with blue.

 - 15 in. 60 cts. each.
- GERANIUM. Well drained soil in sun.
 nepalense. Deep pink. Large flowers. 1½ ft.
 *sanguineum. Bright crimson. 2 ft. May-Aug.
 *—album (Crane's Bill). White. 1 ft. May-July.
 *—lancastriensis. Light pink. 6 in. July-Aug. 30 cts. each.
- GERARDIA. Ordinary soil in sun or light shade,
 grandiflora. Pretty pink, like small foxgloves. 18 in.
 Summer. 30c each.
- GERBERA. Ordinary soil in sun.
 Jamesoni (Transvaal Daisy). Beautiful colors of rich texture. 2½ ft. Aug.-Sept. 75 cts. each. Protection.
- **EUM.** Ordinary soil in sun. **atrosanguineum** (Avens), Blood-red, 1-2 ft, May-June. **bulgaricum** (Bulgarian Avens), Showy red-orange, 1 ft. GEUM. July-Aug. 30 cts. each.

HAMMONASSETT GARDENS, MADISON, CONN.

GEUM (Cont'd)

chiloense, Mrs. Bradshaw. Orange-red; half-double. 2 ft. June-Sept. 35 cts. each, \$3.50 per doz. Heldreichi. Orange. 1½ ft. May-July. Lady Stratheden. New. Double; yellow. 2 ft. June-June-Sept. 35 ccc. 1%

40 cts. each.

GILLENIA. Ordinary soil in sun. trifoliata (Bowman's Root). White, tinged pink. 3 ft. May-July. 35c each.

GLADIOLUS. **ADIOLUS.** 40 cts. per doz. and up, according to variety and size of bulbs.

GLAUCIUM Fisheri (Horned Poppy). Yellow. 2 ft. Summer. White foliage, attractive, distinct. 30 cts. each.

GLOBULARIA. Ordinary soil in sun.
*trichosantha (Globe Daisy). Blue flowers in globular
heads. 6 in. May-June. 30 cts. each.

For the collection see general arrangement in GRASSES. alphabetical order.

GYNERIUM. Rich soil in sun. argenteum (Pampas Grass). Aug.-Oct. \$1 each. Very attractive. 6 ft.

YPSOPHILA. Ordinary soil in sun.
paniculata (Baby's Breath). Plant of gauze-like appearance. 2-3 ft. June-July. GYPSOPHILA.

ance. 2-3 ft. June-Juny.
paniculata flore-pleno. Little, double rosette-like flowers.
2-3 ft. July-Aug. \$1 each.
Rokejeka. Pink. July-Aug. 3 ft. 30 cts. each.
paniculata flore-pleno, Bristol Fairy. White; extra
double. Very choice. \$1.00 each.
Ehrlei. White, extra double, blooms all season. 2-3 ft.

Ehrlei. Whi \$1.00 each.

*repens (Creeping Baby's Breath). White. 6 in. July. 30 cts. each.
*repens rosea (Creeping Baby's Breath). Low Low; pink.

in. June-July. **EDERA.** Cool soil in semi-shade helix (English Ivy). Effective f HEDERA clix (English Ivy). Effective for covering walls, etc. 25 cts. up, according to sizes.

Ordinary soil in sun. Sneezeweed). Golden yellow. 4-6 ft. Aug.-**HELENIUM.** Ordinary soil autumnale (Sneezeweed). Sept. autumnale rubrum. Terra-cotta. 4 ft. Aug.-Sept. Bolanderi. Yellow, dark disk. 2½-3 ft. July-Sept. 30

each. Orange-yellow. 3 ft. May-Aug.

*Chamaecistus grandiflorum (Sun Rose). Single double flowers, in white, pink, red, and yellow. 6-June-July. 30 cts. each. 6-8 in.

HELIANTHUS. Ordinary soil in sun.

Miss Mellish (Sunflower). Rich yellow. 6 ft.

multiflorus flore-pleno. Double; yellow with
sheen. 4-5 ft. Aug.-Sept.

orgyalis. Graceful flowers of golden yellow. Sept. orange

Soleil d'Or. Golden yellow. 4-5 ft. Aug.-Sept.

Ordinary soil in sun. es **Pitcheriana** (Pitcher Heliopsis). les **Pitcheriana** 3-4 ft. July-S helianthoides yellow. 3-4 ft. July-Sept. scabra zinniaeflora (Zinnia yellow. 2-3 ft. July-Sept. Heliopsis). Semi-double;

HELLEBORUS. Rich soil in semi-shade.
*niger (Christmas Rose). White; leaves evergreen.
Feb.-March. \$1 each.

EMEROCALLIS. Ordinary soil in sun. flava (Lemon Day Lily). Lemon-yellow; fragrant. 3 ft. HEMEROCALLIS. May.

fulva (Tawny Day Lily). For naturalizing, 2-3 ft. July. fulva Kwanso flore-pleno. Orange-red; semi-double. 2-3

fulva Kwanso nore-pieno.
ft. July-Aug.
luteola (Golden Day Lily). Yellow. 4 ft.
Middendorffi. Golden yellow. 2-3 ft. July.
Orange Man. Good. 2-3 ft. July.
Thumbergi. Yellow. 3 ft. Summer.
Any of above 30 cts. each June-July.

HARDY PERENNIALS—ROCK PLANTS

HERNIARIA.

ERNIARIA. Ordinary soil in sun. *glabra (Burstwort). Tiny creeper, foliage turns red in 1 inch.

HEPATICA. Acid soil in shade.*triloba (Roundlobe Hepatica).May. 30 cts. each. Light blue, 6 in. April-

HESPERIS.

Ordinary soil in s (Dame's Rocket). sun. . White or pink, matronalis 2-3 ft. June-July.

vea. Very rare and choice. White.

nivea 15 in. June. each.

HEUCHERA. Ordinary soil in sun, americana (American Alum Root), Foliage 1½-2 ft. July. brizoides (Pinkbells). Carmine-rose, 1½ ft. *sanguinea (Coralbells). Bright coral-red. Foliage ornamental.

Carmine-rose, 1½ ft. June-Aug. Sept. 30 cts. each. *sanguinea alba. June-Sept.

Creamy white. 15 in.

HIBISCUS. Ordinary soil in sun or light shade. grandiflorus (Great Rose Mallow). Shades of white, red. and crimson. 4-6 ft. Aug.-Sept. Moscheutos (Common Rose Mallow). Light rose. Shades of white, pink,

Aug.-Sept.

soil in sun

OSTA (Funkia). Ordinary soil in caerulea (Blue Plaintain Lily). Li bluish sheen. 1-2 ft. July-Aug. Light blue. Leaves have

Flowers mauve; metallic blue foliage. Fortunei.

lancifolia. 2 ft. Aug.

ortunel. Flowers and July-Aug.
July-Aug.
Incifolia. Lilac; narrow green leaves. 2 ft. A
-albo-marginata. Leaves margined white. 1-2
-aureo-maculata. Yellow marking. 1-2 ft.
-undulata. White-and-green variegated foliage.
lantaginea (White Plaintain Lily). White,
flowers. 2 ft. 30 cts. each, \$3 per doz.

Ordinary soil in sun. 1-2 ft. plantaginea scented

HYDRANGEA.

YDRANGEA. Ordinary soil in sun. hortensis. Different sizes in the best varieties, 50 cts. to \$5 each, and higher, according to size.

Well drained soil in sun. (Gold Flower). Golder HYPERICUM. Golden yellow. 1 1/2 ft. Moserianum

50 cents and \$1 each. June-Sept.

HYSSOPUS. Ordinary officinalis (Hyssop).
1-2 ft. June-Aug. officinalis rosea. Ro Ordinary soil in sun. (Hyssop). Low green bush; scented leaves.

Rose-pink. 1-2 ft. June-Aug. each.

IBERIS.

BERIS. Ordinary soil in sun. *gibraltarica (Gibraltar Candytuft). Delicate lilac. May

*gibraltarica, Snowball. Big: white. - 1 ft. May-June. each. cts.

*sempervirens. Pure white. 10 in. April-May.

INCARVILLEA. Rich soil in semi-shade.

Delavayi (Hardy Gloxinia). Rose-color. 1½ ft. Ju 40 cts. each, \$4 per doz. grandiflora. Deeper pink than above. 1 ft. June. cts. each, \$4 per doz. June.

INULA

cts. each, \$4 per 402.

**TULA. Ordinary soil in sun.

**ensifolia (Swordleaf Inula). Yellow. 8 in. July.

*glandulosa. Large; bright yellow. 3-4 ft. July-Aug.

**Royleana (Blackbud Inula). Showy; orange-yellow.

**Pare and choice. 15 in. July. 35 cts. each, \$3.50 per

IRIS GERMANICA

(Germanica or Flag Iris)

Our collection of over 50 varieties contains the most attractive and interesting Irises that flower in May and June.

Named varieties, 25 cts. each, \$2.50 per doz.;

Mixed, \$1.50 per doz. except where otherwise noted. S., standards; F., falls.

Admiral Togo. S. white; F. and S. lightly bordered purple. 30 ets. each.

S. soft blue; F. soft lavender. Albert Victor. each.

S. light bluish violet; F. purple with bronze. 75 cts. each.

MADISON, CONN. HAMMONASSETT GARDENS,

IRIS (Cont'd.)

Archeveque. Deep violet-purple. 60 cts. each.

Asiatica Trojana. S. pale blue; F. violet. 30 cts. each.

Aufernich. F. dark, smoky reddish purple.

Caprice. Rosy red. 30 cts. each.

Celestine. Clear pale blue.

Cherion. Lilac-mauve.

Comte de Claire. Deep violet, margined white.

S. gray; F. plum, edged with white. 30 cts. C. Wedge. each.

Fairy. S. and F. white. 30 cts. each.

Flavescens. Pale yellow.

Gertrude. Violet-blue. 40 cts. each.

Honorabile. S. golden yellow; F. mahogany-brown.

Isoline. S. silvery lilac; F. mauve. 40 cts. each.
Johan de Witte (Amabilis.) S. Pale lilac; F. velvety crimson.

Juniata. Clear blue; fragrant. 40 cts. each.

La Tendresse. Delicate lavender and lilac. 30 cts. each.

Lohengrin. Delicate lavender and lilac.

Lord Salisbury. S. amber-white; F. dark violet-purple. 35 cts. each. Loreley. S. light yellow; F. ultramarine-blue. 40 cts.

each. Loyalty

Lavender-purple. 40 cts. each. scae. Rich lavender-purple. 30 cts. each. Mandraliscae.

Mandraliscae. Rich lavender-purple. 50 cts. cach.
Minnehaha. Cream-white. 75 cts. each.
Mme. Chereau. Pure white. 50 cts. each.
Mmonsignor. S. violet; F. purple-crimson. 40 cts. each.
Nibelungen. S. olive-green; F. yellow, purple, and white.
Pallida Dalmatica. Lavender, 30 cts. each.
Pallida odoratissima (speciosa). S. and F. dark lavender.

30 cts. each.

Parisiensis. Fine blue. 30 cts. each. Perfection. Light blue. 60 cts. each.

Phoenix. Light lavender, yellow markings.
Prestige. Light lavender. 40 cts. each.
Princess Victoria Louise. S. yellow; F. violet-red. 40 cts. each.



An established individual clump of Japanese Irises



JAPANESE IRISES

IRISES (Cont'd)
Purple King. Deep purple. 30 cts. each.

Quaker Lady. S. smoky lavender; F. blue and gold. 40 cts. each.

Queen Alexandra. S. fawn; lilac, with bronze. 40 cts. each.

Queen of May. Soft rosy, almost pink.

Radiance. S. silvery mauve; F. velvety purple. 40 cts. each.

Rhein Nixe. S. pure white; F. deep blue. 50 cts. each.

Sambucina. Rich purple. Early. Spectabile. S. and F. deep purple.

Sherwin-Wright. Golden yellow. 40 cts. each.

The Bride. White, shaded lilac.
Trautlieb. Pinkish. 30 cts. each.

White Knight. Clear white. \$1 each.

Wyomissing. S. bluish-white; F. deeper, to flesh. 75 cts. each.

*Iris pumila formosa. Royal blue and purple.
 *Bride. Large; white. 30 cts. each.
 *Iutea. Yellow.

JAPANESE IRISES

IRIS KAEMPFERI

Gorgeous iris which embrace a host of delightful shades and help to prolong the Iris season. They follow the German iris in the period of bloom.

Our collection consists of nearly 100 named varieties, including many of the most valuable ones.

35 cts. each, \$3.50 per doz., except where otherwise noted.

Airship. Double, Sky blue, white veined. \$1 each. Agnes Reed. Dark violet with light shadings. each.

Amethyst. Exquisite lavender shade. \$1 each.

Apollo. White, with pink center. 50 cts. each.

Mauve-blue. \$1 each. Azure.

JAPANESE IRISES (Cont'd)

White. 50 cts. each. Bandai-no-Nami.

Bashu-no-Ten. Gray, veined blue. 75 cts. each.

Betty Jean Childs. White, splashed with purple. 50 cts. each.

Blue Danube. Blue-true. \$1.50 each.

Blue Flag. Indigo-blue.

Bride. Maroon, veined white. 50 cts. each. Catherine Parry. Indigo blue, prettily marked. 60 cts. each.

Double. Pink, spotted and sprinkled. Cilia. 75 cts. each.

Clarice Childs. Violet red. 50 cts. each.

x Child's Beauty. Creamy yellow. Sold out.

Choseiden. Light purple.

Daisy Herrington, 3 petals, light lavender. 60 cts. each.

Datedogu. Violet-purple. 40 cts. each.

Doris Childs. 6 petals, pearl white, veined rosy-plum. 60 cts. each.

Dominator. Indigo-blue. 75 cts. each.

Eleanor Parry. 6 petals, claret red. 75 cts. each.

Fascination. Lavender. 75 cts. each.

Fanny Hamlet Childs. 6 petals, violet purple, mottled white. 50 cts. each.

Frances E. Cleveland. 6 petals, large pearl color. 75 cts.

each. Gekka-no-Nami. Double. White, often lavender sheen.

60 cts. each. Gold Bound. Pure white. 50 cts. each.

Gomo-no-Umi. Double. Clear white. 40 cts. each.
Grante. White, penciled and veined with rose-purple. 50 cts. each. **Gypsy.** Deep pink.

\$1 each.

Hano-no-Mio. Mahogany-red; late. 40 cts. each.

Ho-o-jo. Purple, mottled.

Hosogawa. Purple with white veinings.

Helen von Siebold. Reddish, veined white.

Helen Wells. Single. Amethyst-violet. \$1 each.

Indo. Dark blue. 75 cts. each.

Iso-no-Nami. Soft blue, sprinkled with lavender. 75 cts. each. Jeanette Parry. 3 petals, white with bluish violet lines.

50 cts. each. 3 petals. Deep blue, with purplish

Josephine Haywood. sheen. 50 cts. each. Kagarabi. Single. Deep mahogany-red. 50 cts. each.

Koki-no-Iro. Purple.

Kokirin. White, heavily veined. Late. 40 cts. Komata. Sky-blue, veined and splashed white. 40 cts. each.

Kumo-no-Obi. Lavender, white lines.
Kumo-no-Shi. White, edged reddish purple.
Kumo-no-Ue. Blue-lavender, light sheen.

Lavender Queen. Single. Lavender. 75 cts. each.

Mahogany. Mahogany-red. 50 cts. each.

Margaret S. Hendrickson. 9 petals. Soft bluish Soft bluish from white center. \$1 each.

Silvery gray, splashed purplish rose. Momiji-no-Taki. \$1 each.

\$1 each.

Moro-no-Suki. White with purplish sheen. 50 cts. each.

Mt. Fell. Double. White veined. Late. \$1 each.

Mt. Hood. Double. Purple with blue, toward center orange. \$1 each.

orange. \$1 each.

Nagano.

Purplish blue, veined darker, white edge. \$1,50 each. Navarre. Showy.

Neptune

Single. Mahogany-red.
Single. Deep black-blu Single, Deep black-blue, Wavy. \$1.50 each. Exquisite silky lavender-pink. 75 cts. each. Nightfall. Norma.

Old Rose.

ino Hotaru. Enormous, bright purple flower white sheen; extra fine. Latest. \$2 each. flowers with Ojino

Orion.

Osho-Kun. Tyrian-blue.

Oyado. Darkest maroon. Low-growing. 60 cts. each. Painted Lady. White, suffused and veined pink. \$1 ea.

HARDY PERENNIALS-ROCK PLANTS

JAPANESE IRISES (Cont'd.)

Pink Progress. Ashy gray-lavender. \$1 each.

Porcelain Sceptre. White, suffused blue, center pink. 75 cts. each.

Prince C. de Rohan. Deepest dark purple. 75 cts. each.

Purple and Gold. Violet-purple.

Pyramid. Violet-purple, veined white. Red Riding Hood. Reddish, wavy. 60 cts. each.

Rinho. Double. Purple.

Rose H. Scheepers. 6 petals. Mauve gray, with darker shadings. 75 cts. each.

Sano Watashi. Double. White. 40 cts. each.

Seco-no-Nami. Single. Reddish purple, sprinkled white. Very early.

Shadow. Reddish purple.

Shadow. Reddish purple. 75 cts. each. Shimoyo-no-Tsuki. White, speckled violet.

Shirataki. Silvery white. Shiunryo. Grayish white. Late. 40 cts. each.

Shokko-Nishiki. Lilac on white. 40 cts. each.

Shuchuka. Crimson-purple.

Shufu-Ruku. Pinkish; showy coloring. 75 cts. each.

Spotted Beauty. White, spotted with rose-lilac. 60 cts.

Sufo-no-Koi. Speckled blue and white. 50 cts. each.

Taiheiraku. Double. Vinous purple.

Templeton. Light violet, mottled pink and white. 50 cts. each.

Tsuru-no-Kegoromo. White. 50 cts. each.

T. S. Ware. Deep garnet, veined white.

Turban. Blue and white. 75 cts. each.

Uchin. Double. Aniline-blue, veined white. 75 cts. ea.

Vase Banri. White, veined blue; blue standards, edged.

Velvet. Velvety mahogany. 75 cts. each.

White, veined purple, pink center. 60 cts. each. **Herrington.** 6 petals. Violet, white sheen, tufted Victor. Violet Herrington. 6 petals. center, beautiful. \$1 each.

Yedo-Jiman. Royal blue. \$1 each.

Yomo-zakura. Pale lavender with rosy markings. 75 cts. each.

Zamo-no-Mori. White shaded purple. \$1 each.

IRIS, Various.

germanica foliis variegatis. White Flowers light lavender. 75 cts. each. ochroleuca. Yellow. White-striped foliage. Flowers ochroleuca. Yens ochroleuca. Rich blue.

ISATIS. Ordinary soil in sun or light shade. glauca (Dyer's Woad). Yellow. 6 ft. June-July.

Ordniary soil in sun. KNIPHOFIA (Tritoma).

mirabilis albida (Torch Lily). Cream-white. 50 cts.

each.

Pfitzeri (Everblooming Flame Flower). Red and yellow. 2-3 ft. Aug.-Oct. 40 cts. each, \$4 per doz.

Express. Early-flowering; light yellow, later redish. 4 to 40 cts. each. ft. June.

(Red-hot Poker). Bright red Sept.-Oct. Late. 30 cts. each. (aloides). Uvaria red and yellow. 3½ ft.

per doz. Tucki. L Light orange yellow. 3-4 ft. Early June. 4.0 cts. each.

LAMIUM Sandy soil in light shade.

*maculatum. A tufty, low plant with variegated foliage. 30 cts. each.

*Maculatum Album. Flowers white. 30 cts. each.

Ordinary soil in sun. LATHYRUS.

latifolius (Everlasting Pea). Rose.
—albus. White. Climber. Climber.



LILIUM PARDALINUM

Light soil in sun or semi-shade. der). Aromatic foliage. Lave LAVENDULA. vera (Lavender). Aromatic flowers. 1½ ft. July-Sept. Lavender blue

Vera (Munstead Strain). Bushy, heavy summer bloomer. ft

1 ft. 40 cts. each. **LEONTOPODIUM.** Well drained soil in sun.

*alpinum (Edelweiss). Gray foliage and flattened white flowers. 5 in. June-July.
*sibiricum. White, large. 6 in. June-July.

LIATRIS. Ordinary soil in sun.
pycnostachya (Gayfeather). Light purple. 4-5 ft. July-August.

GULARIA (Senecio). Ordinary soil in light shade. clivorum, Orange Queen. Orange. 4 ft. June-Aug. ets. each. LIGULARIA 35 Wilsoniana. Yellow to orange. 4 ft. July-Aug.

each.

HARDY LILIES

auratum macranthum (Gold Banded Lily). Y on white; spotted. 3-4 ft. 50c and 75c each. Batemanniae (Batemann Lily). Clear aprice July-Aug. 50 cts. Yellow ray

Clear apricot. 2 ft.

July-Aug. 50 cts.

canadense (Canadian Lily). Rich orange, spotted. June-July. 2 ft. 40 cts. each.

candidum (Madonna Lily). White. Fragrant and hardy.
2-3 ft. June-July. 60 cts. each, \$6 per doz.

Hansoni. Orange yellow. 3 ft. \$1.00 each.

Henryi. Golden yellow. 4-5 ft. June-July. \$1.00 each.

Longiforum. Long white flower: scented. 1-2 ft. Julylongiflorum . Long white flower; scented. 1-2 ft. July-Aug. 50 cts. each. pardalinum (Panther lily).

Orange, spotted crimson. 50 cts. each.

regale (myriophyllum). (Royal Lily). canary-yellow at the center. 1-2

Fragrant; white, canary-yellow at the 60 cts. to \$1.00 each. ft. June-July.

speciosum rubrum. White, spotted with rosy crimson.

2 ft. Aug.-Sept. 40 cts. each and up.

superbum. Orange red, spotted purple. 2½ ft. June.

40 cts. each. tigrinum (Tiger Lily). Orange, spotted purplish black. 3-4 ft. July-Aug. tigrinum fl. plena. 30 cts. each.

HARDY PERENNIALS-ROCK PLANTS

LIMONIUM. Ordinary soil in sun.

latifolium (Bigleaf Sea Lavender). Candelabra-like panicles of minute, purplish flowers. 2 ft. July-Sept.

Ordinary soil in sun or semi-shade. TINARIA.

*Cymbalaria (Kenilworth Ivy). Pinkish lilac. Trailer. une-Aug.

Yellow. 4 ft. July-Sept. 35 cts. each. macedonica.

LINUM. Ordinary soil in sun.

flavum (Golden Flax). Yellow. 1 ft. June-July. 30 cts. each.

perenne (Perennial Flax). Blue. 1 1/2 ft. May-Aug. perenne album. White. 11/2 ft. May-Aug.

Well drained soil in sun or light shade. LITHOSPERMUM. *prostratum (Heavenly Blue). A prostrate gentian blue flowers all summer. 75 cts. 6 plant with 75 cts. each.

Moist soil in semi-shade. LOBELIA.

cardinalis (Cardinal Flower). Cardinal-red, 3 ft. July-Aug

siphilitica (Large Blue Lobelia). Blue. 3 ft. Aug.-Sept.

LUNARIA.

Ordinary soil in sun. iennis) (Honesty). Sweet-scented; purplish. annua (biennis) (H 2½ ft. June-July.

LUPINUS. **UPINUS.** Sandy soil in light shade or sun. **polyphyllus** (Washington Lupine). Blue, 3 ft.

White. 3 ft. June-July. 30 cts. each. albiflorus.

Moerheimi (Pink Lupine). Light and dark rose. 3 ft. June-July. 35 cts. each, \$3.50 per doz.
 Harkness Hybrids. Assorted colors. 3 ft. June-July.

30 cts. each.

LYCHNIS.

YCHNIS. Ordinary soil in sun.
chalcedonia (Maltese Cross). Scarlet 2 ft. June-July.
—alba. White. 2 ft. June-July.

Pink).

coronaria (Agrostemma coronaria.) (Mullein Pink Silver foliage; crimson flowers. 2 ft. June-July. Flos-cuculi (Ragged Robin). Pink. 1-2 ft. May-Aug. Haageana. Orange-scarlet and other shades. 1 ft. Ma 1 ft. May-June.

Viscaria splendens flore-pleno (Double Rose-Pink Campion). Double; crimson. 1 ft. May-June.

LYCORIS. Ordniary soil in sun.
squamigera (Amaryllis Halli). (Hardy Cluster Amaryllis). Lily-shaped, delicate lilac-pink flowers. 2 ft.
July. \$1 each.

LYSIMACHIA. Ordinary soil in sun. barystachys (Loosestrife). White. 15 in. Aug. July-Aug.

LYTHRUM. Ordinary soil in sun.

Salicaria roseum (Rose Loosestrife). Rose. 2-3 ft. July-Aug.

MALVA. Ordinary soil in sun.
Alcea. Pink flowers. 2 ft. July-Sept.
crispa (Early Mallow). Pink and white. 4 ft. June-

July. moschata (Musk June-Sept. (Musk Mallow). Sweet-scented; rose-pink,

MATRICARIA. Ordinary soil in sun, eximea plena (Golden Ball), Yellow; double, inodora flore-pleno (Scentless False Chamomile). Double white, 2 ft. June-Sept.

MECONOPSIS. Rich soil in semi-shade. cambrica (Welsh Poppy). Yellow. 1 ft. June-Aug. 60 cts. each.

MENTHA. Ordinary soil in sun.
piperita (Mint). Used in the kitchen.
rotundifolia (Apple mint). Very strong grower.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

MERTENSIA

ERTENSIA. Leaf mold soil in shade. virginica (Bluebells). Changeable blue. June. 30 cts. each. 1½ ft. May-

MISCANTHUS. Ordinary soil in sun. sinensis (Eulalia). Foliage bright green. 4-8 ft. 50 cts.

each.

gracillimus. Narrow foliage. 3-4 ft. 50 cts. each.
wariegatus. Leaf-blades striped white, green, and often pink. 4-6 ft. \$1 each.
zebrinus (Zebra Grass). Broad yellow bands across the leaf. 4-5 ft. 50 cts. each.
ONARDA. Ordinary soil in sun.

MONARDA.

ONARDA. Ordinary soil in sun. didyma (Oswego Tea). Scarlet, scented foliage. 1½ ft. July-Aug.

—alba. White. 1½ ft. July-Aug.

—rosea. Rose. 1½ ft. July-Aug.
fistulosa (Wild Bergamot). Purple 2-3 ft.

July-Aug. MYOSOTIS.

YOSOTIS. Ordinary soil in shade. *disstiflora (Swiss Forget-me-not). May-July. 30 cts. each. *scorpioides (palustris). True Forget each.

True Forget-me-not. 8 in, All summer

Pale blue. 6 in.

*Ruth Fischer. Darker blue. 6 in. Summer. 40 cts. each.

NEPETA

EPETA. Light soil in sun or light shade. macrantha (Large-flowering Nepeta). Blu Aug. 30 cts. each. *Mussini. Mauve-blue. 1 ft. July-Sept. Blue. 2 ft. July-

*Mussini. Mauve-blue. 1 ft. July-Sept.
NIEREMBERGIA. Ordinary soil in sun.
*rivularis (White Cup). White. 5 in.

OENOTHERA. Ordinary soil in sun.

fruticosa (Common Sundrops). Rich yellow. 2 ft. June-Aug.

*missouriensis (macrocarpa). Large; light yellow. 10 in. June-Aug. 25 cts. each. speciosa. White. 1½ ft. Aug. Youngii. Bright yellow. 2 ft. June-Aug.

OMPHALODES. Rich soil in shade, longiflora (Navelwort). Blue. 35 cts. each.
OPUNTIA. Dry soil in sun, vulgaris (Prickly Pear). Yellow flower cactus.

30 cts. each.

PACHYSANDRA.

ACHYSANDRA. Ordinary soil in shade or sun, terminialis (Japanese Pachysandra). Trailing plant. Glossy green foliage. 8 in.
—variegata. Variegated foliage. 8 in.

PAEONIA

We offer a large selection of the choicest varieties of these lovely flowers.

Prices, divided roots, strong plants, 50 cts. up. according to the variety. Heavy clumps according to size and variety, except where otherwise noted.

Abobra. Single; wild rose color. 75 cts. each. Alba Superba. Creamy white, center rose. Albatre. Large; creamy white: very free. La Albert Crousse. Shell pink. \$1.00 each. Ambrose Verschaffelt. Dazzling red.

Albatre. Large; creamy white; ve Albert Crousse. Shell pink, \$1.00 Ambrose Verschaffelt. Dazzling re Anemone flore-pleno. Tyrian-rose.

Antoine Poiteau.

Avalanche. Ivory-white. \$1 each.

Avalanche.

Bicolor Lemoine.

Baroness Schroeder. White. \$2 eac...

Boadica. Yellowish white.

Boule de Neige. White.

Canari. White. yellow center.

Charlemagne. Lilac-white with bluish center; fragrant.

Clare Dubois. Satiny pink. \$1.50 each.

Rose-pink. 60 cts. each.

Clare Dubois. Satiny pink. \$1.50 each. Coquelin. Rose-pink. 60 cts. each. Delachei. Dark red.
Dorchester. Hydrangea-pink, late. 75 cts. each. Doyen de Enkhuizen.
Duchesse de Nemours. White. 75 cts. each. Edulis Superba. Deep rose-pink. 60 cts. each. Elegans. Rose to white.
Eugene Bigot. Brilliant crimson. Late. \$2 each. Elegans. Rose Enhy-red. \$1 each.

Eugene Bigot. Brilliant crimson. Felix Crousse. Ruby-red. \$1 each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

\$2 each.

HARDY PERENNIALS—ROCK PLANTS

PAEONIES—(Cont'd)

Festiva Alba. White.
Festiva Maxima. Best white.
Cameo-pink.
Cameo-pink.

Golden Harvest. Nearest to yellow.
Golden Harvest. Nearest to yellow.
Goliath. Single; dazzling red.
Hermes. Single; maroon-red.
Jeanne d'Arc. Pale lilac-rose; fragrant.
Karl Rosenfield. Brilliant crimson. \$2 each.
Lady Bromwell. Pink.
Lady Lilian Ogle. White. \$1.50 each.
Lee's Grandifiora. Rosy red.
Livingstone. Lilac rose, late. \$1.00 each.
L'Illustration. Light rose.
L'Illustration. Spanned to the cost of the cost.
L'Indispensable. Creamy white. Spanned to the cost of the cost.
Louis Van.

L'Hustrause.

cts. each.

Louis Van Houtte. Carmine-rose.

Marie Jacquin. Flesh-white. \$1 each.

Marie Stuart. Clear rose, white center.

Mireille. Milky white. Late. 75 cts. each.

Mme. Breon. White, with shell-pnik.

Mme. Calot. Hydrangea-pink, early. 75 cts. each.

Mme. Forel. Violet-rose.

Mme. Forel. Violet-rose.

Mme. Jules Elie. Violet-rose. \$1 each.

Md'lle Desbuisson. Glossy pink. 60 cts. each.

Modele de Perfection. Rose pink, late. \$1.00 each.

Mons. Dupont. Ivory-white. Late. \$1.50 each.

Mons. Dupont. Ivory-white. Late. \$1.50 each.

White, later slightly

Mons. Dupont. Tvory-white. Late. \$
officinalis albo-plena mutabilis. Whi
pinkish. \$1.50 each.
officinalis roseo-plena. Pink. \$2 each.
officinalis rubro-plena. Crimson. \$1 er
Primevere. Creamy yellow. \$4 each.
Reine Hortense. Old rose. \$1.50 each. officinalis runPrimevere. Creamy year.
Reine Hortense. Old rose. \$1.50
Rose d'Amour. Hydrangea-pink.
Rothschild. Pink.
Whitfield. Flesh. Very la
Bright carr
Bright carr

\$1 each.

R. P. Whitfield. Flesh. Very late, \$1 Rubra Triumphans. Bright carmine, Sarah Bernhardt. Apple blossom-pink.

Sarah Bernharat. Apple 2.1.
\$1.50 each.
Solfatare. Sulphury yellow to creamy white.
Souv. de l'exposition Universelle. Silvery rose. 75c each.
Suzette. Rose-pink. \$2 each.
Thorbecki. Reddish pink.
Welcome Guest. Silvery pink, \$1.00 each. Strong grower.

PAPAVER.

Zoe Calot. Rose color.

APAVER. Well drained soil in sun.

*alpinum (Alpine Poppy). White White. 8 in. June-July. 35 cts. each.

rupifragum. Salmon-red flowers. 30 cts. each.

orientale (Oriental Poppy). Orange-scarlet. 2-3 ft. June-July. 4.0

Duke of Teck. Orange red. cts. each. 2-3 ft. June-July. Gerald Perry. Apricot-orange. 2-3 ft. June-July. 40 cts.

each. Goliath. Enormous rose-dorce. 2-3 ft. June-July. 40 cts. each.

Grand Mogul. Rich red. 50 cts. each.

Joyce. Cerise; distinct. 2-3 ft. June-July. 35 cts. each. Lord Lambourne. Fringed orange. 2-3 ft. June-July. 50 cts. each.

Mahogany-maroon. Mahogany. 2-3 ft. June-July. cts. each.

2-3 ft. June-July. Mrs. Salmon pink. 40 cts. each.

Olympia. Scarlet-red; semi double. 50 cts, each. Orifiamme. Rich orange-scarlet. 40 cts. each.

Perry's White. Satiny white with a crimson-maroon blotch. 2-3 ft. June-July. 60 cts. each.

Princess Victoria Louise. Light pink. 2-3 ft. June-July. 50 cts. each.

Royal Scarlet. Deep scarlet. 50 cts. each.

Royal Scarlet.

PENNISETUM. Ordinary soil in sun.
alopecuroides (japonicum). (Fountain Grass.) 3 ft.
Narrow foliage; bronze-purple, cylindrical flower-heads.

PENTSTEMON. Light soil in sun. acuminatus (Stiff Pentstemon). Violet-blue. 2-3 ft. 35 cts. each. diffusus (Bushy Pentstemon). Violet-blue. 2 ft. June-

July. WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

PENTSTEMON (Cont'd)

x gordonii splendens. Dark blue. 21/2 ft. July. 50 cts. each

grandiflorus. Metallic blue foliage; purple flowers. 3 ft. 30 cts. each. July.

hirsutus (pubescens). (Eastern Pentstemon). purple. 15 in. July.

lavigatus Digitalis (Foxglove Pentstemon). Purplish white. 2½ ft. July.
*Ratani Minor. 4 in., lavender blue, good for rockeries. Purplish

35 cts. each.

Torreyi (Chelone barbata). Scarlet. 3 ft. June-July.

PHALARIS . Ordinary soil in sun. variegata arundinacea (Ribbon Grass).

Variegated foliage.

PHLOMIS. Ordinary soil in sun.
tuberosa (Jerusalem Sage). Purple. 2½ ft. Ju
viscosa (Russeliana). Yellow. 3 ft. June-Aug. June-Aug.



PHLOX

- **Laphami.** Lavender-trusses, 1 to 2 ft. April-May.
- *amoena. Bright
 4-6 in. April-May.
- *divaricata (canadensis) Fragrant; lavender. 1.0
- in. May. 30 cts. each. *---alba. White. 10 in. May.
- -alba grandiflora. White variety; valuable. May. 40 cts. each. 12 in.
- May. laberrima suffruticosa,
 Alfa. Pink. 3 ft. AprilMay. 35 cts. each.
 - Dr. Hornby. White, glaberrima
- with pink, crimson ter. 2 ft. April-April-May. 35 cts. each.
- —Indian Chief. Lavender sheen and big purplish eye. 2 ft. April-May.
- -Miss Lingard. Glossy foliage. White. May. 35 cts. e Aprileach. May.

Papaver, Lord Lambourne (Page 23)

*ovata (carolina). (Mountain Phlox). Reddish pink. June-July. 1 ft.

paniculata, Astrid. Clear red.

- -Baron von Dedem. Cochineal-red.
- -B. Comte. Satiny amaranth. 40 cts. each.

caerulea nana. Blue.

- -Commander. Crimson, red eye, does not fade. 50 cts. each
- -Coquelicot. Orange-scarlet. 50 cts. each. -Debs. Crimson. Showy. 50 cts. each. Showy.

-Elizabeth Campbell. Light salmon-pink. 50 cts. each.

-Eringe. Light blue.
-Europe. White with crimson-carmine eye. 30c each.

-Frau Anton Buchner. White.

-General Van Heutz. Fiery salmon-red.

-Goliath. Deep pink, late. 30 cts. each.

-Gruppenkoenigin. Pink eye. 30 cts. each.

-Independence. White.

-Iris. Purple. 40 cts. each.

- Isabey. Salmon-red.
- Jules Sandow. Rose pink. 40 cts. each.
 Johnson's Favorite. Salmon. 50 cts. each.
 Josephine Gerbeaux. White, cherry-red eye.
 Lumineux. Carmine and rose

Carmine and rose. an. Best lavender. 35 cts. each.

Maid Marian. Best lavender. 35 cts. eac. Mmne. Pape Carpentier. White. -Mrs. M. von Hoboken. Soft pink; large. -Mrs. W. Jenkins. White. 40 cts. ecan.

-Mrs.

Peachblossom. Beautiful blush pink. 35 cts. each.



PHYSALIS FRANCHETI

nLOX (Cont'd.) PHLOX

Struthers.

Brilliant rosy red. Peculiar shade of pink. non-pink. 30 cts. each. —Special —Thor. French.

-- Special French. Feculiar shade -- Thor. Rich salmon-pink, 30 c -- Widar. Bright reddish violet, v -- W. C. Egan. Soft pink, 30 cts. *subulata alba (Moss Phlox). Wi white center. 30c each. each.

-W. C. Egan. Soft pink. 30 cts. each.

*subulata alba (Moss Phlox). White.

*lilacina (Moss Phlox). Clear lilac.

*—rosea (Moss Phlox). Pinkish red.

Subulata "Vivid." Deep rose. 30 cts. each

Named varieties, except where otherwise noted, 25 cts. each, \$2.50 per doz.; mixed varieties, \$1.50 per doz.

PHYSALIS. Ordinary soil in sun.

Francheti (Ground Cherry). Brilliant orange-scarlet seed-vessels or "lanterns." 2 ft. April-May.

Bunyardi. Different and very interesting. 25 cts. each.

Phygelius capensis (Cape Fuchsia). Light purplish flowers all summer. 2 ft. 75 cts. each.

PHYSOSTEGIA. Ordinary soil in sun.

virginiana (Virginia False Dragonhead). Pink. 2-3 ft. May-June.

May-June

-alba.

-gigantea.

me. White. 2-3 ft. May-June. ∍a. Tall; deep pink. 5-6 ft. June. Deep pink. Low. 1½ ft. May-June. 50 cts. **-Vivid.** Deep pink. each.

PLATYCODON. Ordinary soil in grandiflorum (Balloon Flower). in sun.). Deep blue. 1-2 ft. June-July

July.

Mariesi. Low light bluish white.

PODOPHYLLUM. Acid soil in shade.
peltatum (May Apple). White flowers, followed by
yellow, edible fruit. April-May. 8 in.

POLEMONIUM. Ordinary soil; light shade.
caeruleum (Greek Valerian). Blue. ½ ft. May-June.
—album. White. 1-1½ ft. May-June.
—himalayacum. Sky-blue. 2 ft. June-Aug.
POLYGONIW. Leafmeld soil in light shade.

—himalayacum. Sky-blue. 2 ft. June-A **POLYGONUM.** Leafmold soil in light shade (Himalayan Fleece Flower). Pink.

affine (Brunonis). 10 in. Aug.-Sept cuspidatum (Sieboldi). Creamy white flowers.

Aug.-Sept.

POTENTILLA. Ordinary soil in sun.

*atrosanguinea (Himalayan Cinquefoil). Red. 18 in. June-Aug.

June-Aug.

Double; yellow. californica. 50 ets. 2 ft. July-Aug.

each. nepalensis (formosa). Rust red. 2 ft. July-Aug.

epalensis ets. each. Dark red. purpurea. Dark red. 1-2 ft. July-Sept. 30 cts. each.
*Tonguei. Shading of yellow-orange. 6-8 in. July-Aug

30 cts. each. William Rollison. Double; mahogany; suffused orange. 50 cts. each.



PRIMULA ACAULIS

Ordinary soil in sup Burnet). White and rose. 2 ft. July-Sept. POTERIUM. obtusum (Burnet).

PRIMULA

Hardy primroses are one of the most charming and delightful spring flowering plants for either the rock garden or as edgings to the perennial borders. A cool moist soil in semi-shade suits them best.

- *acaulis (English Primrose). Showy and fragrant. April-May.
- -*coerulea. A rare variety which comes in exquisite shades of blue. 6 in. April-May. 60 cts. each.
 -*fl. plena alba. An extremely choice and very rare type with double white flowers. 6-8 in. April-May. 75 cts. each.
- -fl. pl. lilacina. Another rare gem with double lavender flowers. Very choice. 6-8 in. April-May. 75 cts. each.
- -*Auricula. Most attractive combination of colors, 6 in. May-June. 40 cts. each.
- *Bulleyana. Red-orange-buff. June-July. 35 cts. each. *cortusoides. Red. 12 in. June-July. 30 cts. each. *denticulata cashmeriana. Purplish lavender. Extremely early. 12 in. March-April. 35 cts. each, \$3.50 per doz.
 - Pyramids of rich-colored
- doz.
 **sjaponica. One of the best. Pyramids of rich-colored flowers. 18 in. June. 30 cts. each.

 x*Poissoni. Rich purple. 15 in. June-July. Sold out.

 x*sikkimensis. Yellow. 18 in. June. Sold out.

 *Veitchi. Rosy purple. 15 in. June-July. 50 cts. each

 *veris suaveolens. Yellow. 9 in. May-June. 30 cts 30 cts. *veris suaveolens.
- each. *veris (officinalis). (Cowslip Primula). A strain with a wide range of colors. 12 in. June-July.

PRUNELLA. Moist soil in shade *superba rosea (Self Heal). Pink. 1 ft. July-Aug.

PULMONARIA. Ordinary soil in sun.
*angustifolia (Cowslip Lungworth).
12 in. April-May. 35 cts. each. Ordinary soil in sun. Deep gentian-blue.

YRETHRUM. Rich soil in sun.
roseum fl. pl. (Chrysanthemum coccineum). Be double flowers in many choice shades. 2 ft. PYRETHRUM. Beautiful double flowers ...

**" to 1.00 each.

ANUNCULUS. Ordinary soil in sun or light shade.
acris flore-pleno (Buttercup). Double; light yellow.
in. May-June. RANUNCULUS. 1.8

Creeping: yellow; double. 10 in. repens flore May-June. fiore-pleno.



SEDUM KAMSCHATICUM (See Page 28)

RHEXIA . Ordinary soil in sun.
virginica (Common Meadow Beauty). I
golden anthers. 15 in. July-Sept.
RODGERSIA. Moist peaty soil in shade.
pdophylla (Bronzeleaf). Ornamental 1
flowers. 2 ft. July-Aug. Beauty). Rosy purple with

Ornamental leaves and white ft.

flowers. 2 it. July-Aug.

ROSMARINUS. Ordinary soil in sun.

officinalis (Rosemary). Yields an aromatic oil.
fashioned herb. Not hardy except in South.

RUDBECKIA. Rich soil in sun.
maxima (Great Coneflower). Bluish metallic folyellow flowers with long, black cone. 5 ft. J O1d

foliage; Sept. laciniata, Golden Glow. Golden yellow; double. 6-8 ft. June-Sept.

speciosa (Newmanni). (Showy Coneflowers.) Orange-yellow. 2-3 ft. July-Oct.
subtomentosa (Black-eyed Susan). Bright yellow, with brown disk. 2½ ft. Aug.-Sept.

UMEX. Ordinary soil in sun.
patientia (Sorrel). Used in the kitchen.

RUMEX.

patientia (Sorrel). Used in the kitchen,
RUTA. Ordinary soil in sun.
graveolens (Rue). Yellow flowers; entirely aromatic.
SALVIA. Ordinary soil in sun.
x argentea (Silver Sage). Large, white, woolly leave
light bluish flowers. 2-3 ft. June. 30 cts. each.
azurea. Light, sky-blue. 4-5 ft. Aug.-Sept.
azurea grandiflora (Pitcheri). Deep blue; large, la
4-5 ft. Sept.-Oct. 40 cts. each.
farinacea (Mealy-cup Sage). Whorls of spikes of bl
flowers. 2½ ft.
globosa. White. woolly foliage. white, woolly leaves; June. 30 cts. each. Aug.-Sept. Deep blue; large, late.

Whorls of spikes of blue

flowers. 2½ 10 White,

nowers. 2½ 1t.
globosa. White, woolly foliage.
officinalis (Garden Sage). Used for culinary purposes.
pratensis. Dark blue. 2 ft. June-Aug.
Sclarea turkestanica. Green, woolly foliage; large bluish
white flower-bracts. 3 ft. July.
virgata nemorosa. Light blue. 3 ft. May-June.

virgata nemorosa. Light blue, 3 ft. May-June.

SANTOLINA. Ordinary soil in sun

*Chamaecyparissus (Lavender Cotton). Evergreen; silvery white leaves, 15 in.

SAPONARIA. Ordinary soil in sun.

*coymoides (Rock Soapwort). Trailing. Rosy flowers.

in. May-June White to rose-pink. officinalis (Bouncing Bet).

July SATUREIA. ATUREIA. Ordinary soil in sun. montana (Savory). Purple. 8 in. June-July.

HAMMONASSETT GARDENS, MADISON, CONN.

SAXIFRAGA. Ordinary soil in sun.

*crassifolia (Megasea). (Leather Saxifrage.) Pink.

Pink; later. *Himalaica.

- *Macnabiana.
- White, spotted. 35 cts. each. ondon, Pride). Pink flowers. *Umbrosa (London shade. 35 cts. each. Requires

*H. S. Stokes (Mossy). Rich red. 50 cts. each.

Pyramidalis (cotyledon). flowers. 50 cts. each. *Pyramidalis Large leaf rosettes, white

SCABIOSA.

CABIOSA. Rich soil in sun.
caucasica (Blue Bonnet). Lavender. 18 in. June-Sept.
35 cts. each.
—alba. White. 18 in. June-Sept. 35 cts. each.

Vhite. 18 in. June-Sept. 35 cts. Lavender-blue. 2 ft. July-Sept. 35 cts. each.

SCILLA excelsior. Mixed colors; 20c each; \$2.00 doz.

**SCUTELLARIA. Ordinary soil in sun.
**baicalensis (Skullcap). Blue flowers in late summer.
12-15 in. July-Aug. 30 cts. each.

May-June. July-Aug.

- SEDUM. Ordinary soil in sun.

 *acre (Gold Moss). Bright yellow. 4 in. Maximum (White Stonecrop). White. 4-6 in.

 *Aizoon. Yellowish flowers. 1 ft. June.

 *Altissimum. Light yellow, upright habit. 25

 *anglicum. White. 3 in. June-July. 30 ct

 *Anacampseros (Shy Stonecrop). Low; lifeliage. 6 in. 25 cts. each. 30 cts. each. Low; light green
 - foliage. 6 iu. *carpaticum. I Distinct, strong grower. 30. White. 2 in. Light pink. 30 cts. *dasyphyllum. June-July.
 - 35 cts. each. Narrow variegated leaves; pink flowers. *Fabaria. 35 cts. each.

- ets. each. *japonicum. Yellow. 8-10 in. July-Aug. *kamschaticum (Orange Stonecrop). Golden yellow. 8 in. July-Aug
- *Lidium. Crimson-tinted foliage in autumn. 3 in. *Maximowiczi (Amur Stonecrop). Yellow. 10 in. 3 in. July. *Maximowiczi (Amur Stonecrop). Yello *Middendorffianum. Yellow. 30 cts. eac *oppositifolium (Two-Row Stonecrop).

30 cts. each.

White . 6 in. July. *oregonum. Distinct. emerald green foliage. 6 in. June-

July. 30 cts. each. *Pruniatum. Pale yel

- Pale yellow, frosted. 30 cts. each. ım. Very distinct. Gray-purple foliage. *Fosterianum. 30
 - *reflescum. 4-6 in. July. cts. each.

Sept.

*Sieboldi. Light pink. 8-10 in. *Replesiana. Upright growing. *Rupestre. Yellow. 25 cts. each. 25 cts. each.

- Bright green leaves, six-angled; yellow *Sexangulare. flowers
- (Showy Stonecrop). spectabile Rosy pink. 12-15 in. Sept
- spectabile atropurpurea (Purple Showy Stonecrop. 12-15 in. Aug.-Sept. 40 cts. each. spectabile foliis variegatis. Yellow variegated foliage. 12-15 in. Aug.-Sept.
- (Running Stonegrop.) *stoloniferum (spurium). 6-8 in. July-Aug.
- *stoloniferum coccineum (Scarlet Running Stonecrop), -8 in. July-Aug. *stoloniferum coccur.
 Carmine. 6-8 in. July-Aug.
 *undulatum. Creeping, pinkish flowers.
 *tennifolium. White.

*tenuifolium.

SEMPERVIVUM. Well drained soil in sun.

ries. 30 cts. each. House-Leek.) Fo

- *Browni. For rockeries. 30 cts. each.
 *glaucum. Grayish, for rockeries. 30 cts. each.
 *taggeri. White web-different. 30 cts. each.
 *Montanum, distinct, for rockeries. 30 cts.
 *tectorum (robustum). (Roof House-Leek.)
 eries. 2 in. Forms cactus-like rosettes.
 *globiferum. Compact, light green, distinct. For rock-35 cts. ea.
- Rosy purple. 2-4 ft.
- SENECIO. Ordinary soil in sun. pulcher (Uruguay Groundsel). July-Aug. 35 cts. each. Veichianus. Yellow. 3-4 ft.

- **S.00 per doz.

 SIDALCEA. Ordinary soil in sun.
 candida (White Prairie Mallow). Pure white. 2½ ft.
 July-Aug. Rose-pink, 3-5 ft. July-Aug. 35 cts.
- Rose Queen. each. WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



STOKESIA

SILENE. Well drained soil in sun.

*alpestris (Alpine Cathchfly). White. 4-6 ft. May-June,
*maritima. White. 6 in. May-June, 40 cts. each.

*Schafta.** Bright pink. 6 in. July-Sept. 30 cts. each.

*Schafta.** Bright pink. 6 in. July-Sept. 30 cts. each.

SILPHIUM. Ordinary soil in sun.
perfoliatum (Rosinwed). Yellow. 6-8 ft. July-Aug.
SISYRINCHIUM. Ordinary soil in sun.
angustifolium (bermudianum). (Blue-eyed Grass.) Blue
flowers on tops of grass-like foliage. 1 ft. May-July.

SOLIDAGO. Ordinary soil in sun.
missouriensis. Sulphur-yellow. 3-4 ft. Aug.-Sept.

STACHYS. Ordinary soil in sun.
grandiflora (Betony). Pink; snowy. 12 in. June-July.
lanata. Woolly, silvery white foliage; purple flowers.

STATICE.** Well drained soil in sun.

*Armeria (Common Thrift). True. Rose. 3-6 in. May-June. Well drained soil in sun. SILENE.

*Armeria (Common June.

June.

*cephalotes rubra (Sea-pink). 12-18 in. June.

*cephalotes rubra (Armeria formosa). (False Bright rose-pink. 12-15 in. June.

STENANTHIUM. Moist, cool soil in shade.

"Abustum (Feather Fleece). Showy white. in. June. 35c ea. • (False Thrift.)

Fleecy

TENANTHIUM. Molst, robustum (Feather Fleece). Sh flowers. 3-4 ft. July-Aug. 35 FOKESIA. Rich soil in sun. laevis (cyanea). (Stokes' Aster.) Lavender-blue.

STOKESIA. Rich soil in sun.
laevis (cyanea). (Stokes' Aster.) Lavender-bl
ft. July-Sept.
—alba. White. 1-2 ft. July-Sept.
—rosea. Pink. 1-2 ft. July-Sept. 50 cts. each.
x lutea. Yellow. Sold out for season.
TANACETUM. Ordinary soil in sun.
vulgare (Common Tansy). Useful as herbs.
TEUCRIUM. Ordinary soil in sun.
Charmaedrys (Germander). Purple. 1-2 ft. Ju
20 cts. each. July-Sept. Blue. bu 50 cts. each.

Charmaedrys (Germander), Blue, 50 30 cts. each. orientale (Eastern Germander), Blue, 50 THALICTRUM. Ordinary soil in light shade aquilegifolium (Columbine Meadow Rue). Dis Yunnan Meadow Rue). Dis Yunnan Meadow Rue). White and

adulegrionum (Commune accessed to pink 2-3 ft. May-July. dipterocarpum (Yunnan Meadow Rue). Distinct. Violetmauve, brightened with lemon-yellow stamens and anthers. 4 ft. Aug.-Sept. 40 cts. each. glaucum. Glaucous foliage; bronze-yellow flowers. 2 ft.

June-July.

flavum. Yellow. 3-4 ft. July-Aug.

*minus (Low Meadow Rue). Greenish yellow. June-July.



VERONICA SUBSESSILIS

THERMOPSIS. Ordinary soil in sun. caroliniana. Yellow. 3-4 ft. June-July. 35 cts. each. THYMUS. Well drained soil in sun. *Serpyllum (Thyme). Dark green foliage. 6 in. Fin

ground cover *Serpyllum album variegatum. Silver leaf variegated

Charming.

Thyme. 35 cts. each.

*-aureus. Golden variegated foliage. 6 in. (

*-coccineus. Dark green foliage; red flowers.

*-lanuginosus (Wooly-leaved thyme). 6 in. (

vulgaris. Used in the kitchen. 9-12 in. 6 in. Choice.

TIARELLA

IARELLA. Cool soil in shade. *cordifolia (Heart-leaved Foa Foam-flower). 6-8 in. May.

35 cts. each.
purpurea major (Foam Fred flowers. 15-18 in. (Foam Flower). Bright foliage; salmon-

TRADESCANTIA. Ordinary soil in sun.

virginiana (Virginia Spiderwort). Blue or violet. 2 ft. July-Sept. —alba. White. 2 ft. July-Sept. 30 cts. each.

TRITONIA (Montbretia). Ordinary soil in sun.

aurantiaca. Deep golden yellow.
crocosmaeflora. Scarlet and yellow.
Hybrids. New. Big-flowering, mixed. 20 cts. each. \$2 per doz.

Orange-scarlet.

Yellow with red. speciosa.

All Tritonias 80 cts. per doz., except where otherwise noted.

TROLLIUS. Rich soil in semi-shade.

The trollius or (Globe Flower) is a very charming plant and gives a wealth of bloom with little care. They should be planted in masses for best effect.

—Çanary Bird. Pale yellow. 1-1½ ft. May-June.

June.

June.
—Salamander. Dark yellow. 1-1½ ft. May-June.
europaeus. Large; lemon-yellow. 1-1½ ft. May-Aug.
—superbus. Pure yellow. 1-1½ ft. May-Aug.
Excelsior. Orange-red. 2 ft. April-June. 50 cts. each
Golden Annette. Yellow. 1½ ft. May-June.
Orange Globe. Golden orange. 2 ft. May-June. 50 cts

50 cts. each. May-June. t. May-June. 50 cts.

Orange Princess. Deep orange. 2 ft. May-June. 50 cts. ea.ch. ledebouri. Orange flowers, late. 21/2 ft. 75 cts. each.

All Trollius are 35c each, \$4 per doz., except where otherwise noted.

Collection of 6 varieties of Trollius, two of each our choice, \$4.

TUNICA.

UNICA. Light, well drained soil in sun.
*Saxifraga (Tunic Flower). Pink. 6 in. July-Sept.
*—alba. White. 6 in. July-Sept.
t*—Fl. pl. Double white. 35 cts. each. (Sold out for x*-F1. pl. season.)

UNIOLA. Ordinary soil in sun. latifolia (Spike Grass). Drooping panicles of ornamen-tal flat heads. 2-3 ft.

HARDY PERENNIALS-ROCK PLANTS

VALERIANA. ALERIANA. Ordinary soil in sun.
officinalis (Garden Heliotrope). Rose-pink strong odor.

June.

VERBASCUM. Ordinary soil in sun.
longifolium pannosum (Golden Gate Mullein). Purple
and other shades. 3-4 ft. July-Sept.
olympicum. Yellow. 6-10 ft. July.
theysiforme (densiflorum). Yellow. 4-5 ft. July-Sept.

75 cts. each.

VERONICA. Ordinary soil in sun.
*incana (Woolly Speedwell). Silvery gray foliage and dark violet-blue flowers. 1 ft. July-Aug.

*gentianoides (Genotian Speedwell). Violet. 9 in June. 30 cts. each.
longifolia subsessilis (Clump Speedwell). Intentrous blue. 2 ft. Aug.-Sept. 30 cts. each, \$3 p
*repens (Creeping Speedwell). White and blue. Intense lus-\$3 per May-June.

1½ ft.

May-June.
spicata (Spike Speedwell). Blue. 1½
-alba. White. 1½ ft. June-July.
-Blue Ridge. Dark blue. 1½ ft. Jun
-rosea. Rose. 1½ ft. June-July.
*Teucrium rosea. Dwarf; light pink. June-July. 30c each.

6 in. May-June.

VINCA.

INCA. Ordinary soil in light shade. major (Bigleaf Periwinkle). Green leaves; blue flowers. reeper. variegata. Silvery variegated foliage. Creeper.

cts. each. *minor. Evergreen trailer; much smaller leaves than

VIOLA.

V. major.

IOLA. Best in rich soil; light shade, *cornuta (Tufted Pansy). True. Dark blue. 1.0 in. 30 cts. each.

n. Soft blue. 9 in. June-Aug

-Admiration. June-Aug.

*—Admiration. Soft blue. 9 in. June-Aug.

*—alba. White. 9 in. June-Aug.

*Cornuta Apricot. Rich apricot shade. 35 cts. each.

*—Jersey Gem. Pure violet. Blooms all season. 9 in.
35 cts. each.

*—papilio. Violet with dark eye. 9 in. June-Aug.

*Lutea. Bright yellow. 9 in. May-Aug.

*odorata alba. White, fragrant. 3-6 in. June.

*—odorata rosea. Pink. 30 cts. each.

*—flore-pleno. (Violet). True. Double white. Fragrant.

9 in June

agrand. 30 cts. each. True. Double white.

9 in. June.

*-flore-pleno alba. White violet. Double, 9 in. June.

*-Gov. Herrick. Sweet-scented; clear shade of blue.
8 in. June.

*tricolor (Pansy). Best of colors and sizes at market price.

UCCA. Well drained soil in sun. filamentosa (Adam's Needle). Sword-like foliage; spikes white fragrant flowers. 4-6 ft. June-July.

25 cts. to \$1 each.
filamentosa variegata. Yellow
4-6 ft. June-July. \$1 each. Yellow and green striped foliage.


in light shade. Fairy Lily). Pink and white **EPHYRANTHES.** Cool soil in lig **Atamasco** (Atamasco Lily; Fairy ZEPHYRANTHES.

ANNUALS AND BEDDING PLANTS

In addition to my complete list of perennials and rock plants, I also grow a very large variety of annuals and bedding plants. These will be found most useful and effective in beds and borders, to supplement the feast of summer bloom in the home grounds. These are available—as long as they last—at lowest market prices.

Among them are—Ageratum, Begonia, Calendula, Centaurea, Chinese Asters, Chrysanthemum, Cobaea, Cosmos, Geranium, Heliotrope, Lantana, Lobelia, Lemon Verbena (Aloysia), Marguerites, Marigold (tall and low, or French), Salpiglossis, Salvia, Scabiosa, Summer Ivy, Verbena, Vinca variegata from pots, Zinnia in colors or mixed, and many others. others.

All Bedding Plants here mentioned and those not mentioned have been at least once transplanted and grown in coldframes to insure their hardiness.



CHOICE CACTI

Our collection of cacti and succulants comprises many rare and attractive plants which are considered the curios in the plant kingdom. Our assortment of over 500 varieties, which we grow mostly from seed, are consequently more acclimated for this section of the country. We heartily recommend them to any one interested in growing these kind of nature's gems, particularly the varieties such as Old Man Cactus, Living Rock Cactus, Putting-in-a-Bag Cactus, Allegator Cactus, Bishopshead, Giant Column, Night Candle, Rattle Snake's Tongue, Case Knife Cactus, etc.

You are cordially invited to visit our place if interested in securing some of these curios, or let us know your wants so we may submit to you our moderate prices.

ADDITIONAL UNCATALOGUED VARIETIES

Besides the galaxy of delightful and exquisite plants mentioned in the foregoing lists, we are constantly trying out many additional varieties for hardiness as well as other merits. The quantities of these, available, are limited and do not warrant listing. In this newer and rare collection you may find some rare favorites you may be anxious to obtain and if you will kindly let us know your wishes, giving some indication of your requirements, it is not only possible, but probable, we may have the desired plants to complete the enjoyment of your "Garden of Desire."

LOCATION. Our Gardens are located on main Boston Post Road 1½ miles east of Madison, or 2 miles west of Clinton, on the edge of Hammonassett State Park (Shore).

VISITORS. We are always glad to welcome visitors who are interested in hardy plants. The flowering season starts with the opening of spring and continues until late fall, when a strong frost generally destroys the last of the very late-flowering plants.

LANDSCAPE SERVICE

We are equipped to plan and develop the home garden or the estate and can advise you of the materials and their needs in soil and culture. We will gladly aid you in landscape problems and if plans are necessary we are prepared to make them.

CUT-FLOWERS FOR ALL OCCASIONS

All through the season we have a large assortment for cut-flowers for your selection. Many of them are from very rare varieties.

HAMMONASSETT GARDENS, Madison, Conn.

HAMMONASSETT GARDENS

"SPECIAL OFFERS"

OFFER No. 1	
Names Catalogue	Price
ACHILLEA, Parker's Variety	.50
EUPATORIUM Coelestinum	.25
ETPHORBIA Corollaía	.25
EUPHORBIA Corollata GAILLARDIA Aristata	.25
HELIOPSIS Scabra HEMEROCALLIS Thumbergi STOKESIA Laevis	.25
HEMEROCALLIS Thumbergi	.30
STOKESIA Laevis	.25
PRIMULA (Our Choice) PENSTEMON Torreyi	25
LIATRIS Pycnostachya	.25
LIATRIS Pycnostachya PHLOX Paniculata	.25
MOMAT (Clabelles Tudes)	
TOTAL (Catalog Price) \$	0.00
SPECIAL 12 Plants (one of each of above)	\$2.75 es os
COMBINATION OFFER NO. 2 (Includes Collection N	To I)
Names Catalogue ACHILLEA Perry's White\$.25
PAPAVER Orientale	.25
PRIMULA (Our Choice)	.25
PAPAVER Orientale PRIMULA (Our Choice) RANUNCULUS Acris Fl. Pl. STOKESIA Alba TRADESCANTIA Vir. Coccinia VERONICA Spicata	.25
TRADESCANTIA Vir. Coccinia	.20
VERONICA Spicata	.25
IRIS (Our Choice)	.30
IRIS (Our Choice)	.35
ASTILBE Gladstone DELPHINIUM (Our Choice)	.50
DEMPRIMIUM (Our Onotoe)	.20
TOTAL (Catalog Price)\$	3.50
SPECIAL 24 Plants (1 each of collection 1 and 2)	A
PH. I A I AT LIGHTED (I COULT OF COTTOCHOR I CHILL 2)	\$6.75
SPECIAL 24 Plants (1 each of collection 1 and 2) 48 Plants (2 each of collection 1 and 2)	\$6.75 \$11.75
48 Plants (2 each of collection 1 and 2): OFFER No. 3—ROCK PLANTS	\$6.75 \$11.75
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS	\$11.75
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS	\$11.75
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS	\$11.75
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS	\$11.75
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS	Price .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride	Price .25 .25 .25 .25 .25 .30
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot	Price .25 .25 .25 .25 .30 .35
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea	Price .25 .25 .25 .25 .30 .35 .25
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea	Price .25 .25 .25 .30 .35 .25 .25 .25
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA Sublata Alba	Price .25 .25 .25 .30 .35 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2
48 Plants (2 each of collection 1 and 2) of OFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot	Price .25 .25 .25 .30 .35 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHIOX Sublata Alba PAPAVER Rupifragum	Price .25 .25 .25 .30 .35 .25 .25 .25 .30 .35 .25 .25 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHIOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2): OFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHIOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) SCDECIAI 12 Plants (one of each of above)	Price .25 .25 .25 .25 .25 .25 .30 .35 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2
48 Plants (2 each of collection 1 and 2) so OFFER No. 3—ROCK PLANTS Names Catalogue AJUGA Repens \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ TUNICA Saxifraga IRIS Pumila Bride \$ VIOLA Cornuta Apricot \$ VERONICA cricoides rosea \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PAPAVER Rupifragum \$ SPECIAL 12 Plants (one of each of above) \$ SPECIAL 12 Plants (two of each of above) \$	Price .25 .25 .25 .25 .25 .25 .30 .35 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2
48 Plants (2 each of collection 1 and 2) so OFFER No. 3—ROCK PLANTS Names Catalogue AJUGA Repens \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ TUNICA Saxifraga IRIS Pumila Bride \$ VIOLA Cornuta Apricot \$ VERONICA cricoides rosea \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PHLOX Sublata Alba \$ PAPAVER Rupifragum \$ TOTAL (Catalog Price) \$ SPECIAL 12 Plants (one of each of above) \$ 24 Plants (two of each of above) \$ COMBINATION OFFER No. 4	Price .25 .25 .25 .25 .30 .35 .25 .25 .30 .30 .30 .30 .30 .30 .30 .82.75 .30
48 Plants (2 each of collection 1 and 2) so OFFER No. 3—ROCK PLANTS Names Catalogue AJUGA Repens \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ SEDUM (Our Choice) \$ TUNICA Saxifraga IRIS Pumila Bride \$ VIOLA Cornuta Apricot \$ VERONICA cricoides rosea \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PRIMULA (Our Choice) \$ PHLOX Sublata Alba \$ PAPAVER Rupifragum \$ TOTAL (Catalog Price) \$ SPECIAL 12 Plants (one of each of above) \$ 24 Plants (two of each of above) \$ COMBINATION OFFER No. 4	Price .25 .25 .25 .25 .30 .35 .25 .25 .30 .30 .30 .30 .30 .30 .30 .82.75 .30
48 Plants (2 each of collection 1 and 2) soften No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) SEDUM (Our Choice)	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soften No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) SEDUM (Our Choice)	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) SOFFER No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) TUNICA Saxifraga IRIS Pumila Bride VIOLA Cornuta Apricot VERONICA cricoides rosea PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soffer No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) PRIMULA (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum HOSTA Fortuni GERANIUM Sanguineum Album EPIMEDUM Sulphureum FUNDUM Mogranthum Niveum	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soften No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) PRIMILA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHLOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum HOSTA Fortuni GERANIUM Sanguineum Album EPIMEDUM Macranthum Niveum SAYIFBACA SINGLES	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soften No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) PRIMILA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHLOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum HOSTA Fortuni GERANIUM Sanguineum Album EPIMEDUM Macranthum Niveum SAYIFBACA SINGLES	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soften No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) PRIMILA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHLOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum HOSTA Fortuni GERANIUM Sanguineum Album EPIMEDUM Macranthum Niveum SAYIFBACA SINGLES	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soffer No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHLOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum HOSTA Fortuni GERANIUM Sanguineum Album EPIMEDUM Sulphureum EPIMEDUM Macranthum Niveum SAKIFRAGA Himalaica VERONICA Repens ACHILLEA Tomentosa	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25
48 Plants (2 each of collection 1 and 2) soften No. 3—ROCK PLANTS Names AJUGA Repens SEDUM (Our Choice) PRIMILA (Our Choice) PRIMULA (Our Choice) PRIMULA (Our Choice) PHLOX Sublata Alba PAPAVER Rupifragum TOTAL (Catalog Price) SPECIAL 12 Plants (one of each of above) 24 Plants (two of each of above) COMBINATION OFFER No. 4 Names SEDUM (Our Choice) SEDUM (Our Choice) SEDUM (Our Choice) SEMPERVIVUM Tectorum HOSTA Fortuni GERANIUM Sanguineum Album EPIMEDUM Macranthum Niveum SAYIFBACA SINGLES	Price .25 .25 .25 .25 .25 .25 .25 .25 .25 .25

SPECIAL 24 Plants (1 each of collection 3 and 4) \$6.25 NO SUBSTITUTES WILL BE MADE IN THESE OFFERS.

We offer these special collections of selected plants to enable you to produce a distinctive and uncommonly beautiful hardy flower garden, that will bloom continuously throughout the summer. Each offer has been selected so that when properly arranged in a garden it will produce a complete unit by itself.



HAMMONASSETT GARDENS
MADISON, CONN.

